


catalog no. 90136

**S·K**

**WAYNE**

**TOOLS**





# contents and warranty

**S-K**

**WAYNE**

Socket Wrench Sets .....	1, 2, 3, 4, 5, 6, 7
Metric Wrenches and Sets .....	8
1/4" Sockets, Handles & Attachments .....	9
3/8" Sockets, Handles & Attachments .....	10, 11
Ratchet Renewals .....	11
1/2" Sockets, Handles & Attachments .....	12
3/4" Sockets, Handles & Attachments .....	13
Box End Wrench Sets .....	14
Combination Wrench Sets .....	15
Open End Wrench Sets .....	16
Individual Forged Alloy Wrenches .....	17
Screwdrivers .....	18
Adjustable Wrenches .....	19
Tongue-N-Groove Pliers .....	19
Combination Pliers .....	19
Solid Joint Pliers	
Professional Precision Pliers .....	20
Cutting Pliers (General) .....	21
Industrial Pliers .....	22, 23
Industrial Electronic Pliers .....	24, 25
Punches & Chisels .....	26, 27
Snips .....	27
Economy Pliers .....	28
Carbon Wrench Sets .....	29
Tool Boxes .....	30, 31
Pipe Wrenches, Rim Wrenches .....	31
SpāSaver Displays (Automotive) .....	32, 33
SpāSaver Displays (Hardware) .....	34, 35
SpāSaver Displays (Miscellaneous) .....	36

All S-K Wayne Tools are guaranteed against defective material or workmanship. Any tool showing a defect in material or workmanship, will be repaired or replaced free of charge, upon inspection by the Company. Tools abused or worn out from excessive use will not be replaced.

Invaluable timesavers for mechanics making close adjustments of small nuts and bolts. Also ideal for aircraft mechanics, and radio, TV and appliance repairmen.

**1/4"  
drive**

**socket  
sets**




**BASIC SET No. 4910 (10 pcs.)**

9 Standard 6 point Sockets and 1 Spinner Handle, all 1/4" drive. Packed in steel case: 1 1/8" high; 6 1/2" long; 2 5/16" wide.

No.	Description	No.	Description
40906	3/16" 6 pt. Skt.	40911	1 1/32" 6 pt. Skt.
40907	7/32" 6 pt. Skt.	40912	3/8" 6 pt. Skt.
40908	1/4" 6 pt. Skt.	40914	7/16" 6 pt. Skt.
40909	9/32" 6 pt. Skt.	40916	1/2" 6 pt. Skt.
40910	5/16" 6 pt. Skt.	40954	Spinner Handle

Std. Pkg. 1

Shipping Weight Each, .8 lb.



**SET No. 4907 (7 pcs.)**

7 Deep Sockets, 1/4" square drive, all 6 point. Packed in steel case, 2" high; 4" long.

No.	Description
41908	1/4" Deep Skt.
41909	9/32" Deep Skt.
41910	5/16" Deep Skt.
41911	11/32" Deep Skt.

Std. Pkg. 1

No.	Description
41912	3/8" Deep Skt.
41914	7/16" Deep Skt.
41916	1/2" Deep Skt.

Shipping Weight Each, .6 lb.



**INTERMEDIATE SET No. 4915 (15 pcs.)**

11 Standard Sockets, 1 Ratchet and 3 Accessories, all 1/4" drive. Packed in steel case: 1 1/8" high; 6 1/2" long; 2 5/16" wide.

No.	Description	No.	Description
40906	3/16" 6 pt. Skt.	40916	1/2" 6 pt. Skt.
40907	7/32" 6 pt. Skt.	40988	1/4" 8 pt. Skt.
40908	1/4" 6 pt. Skt.	40900	5/16" 8 pt. Skt.
40909	9/32" 6 pt. Skt.	40954	Spinner Handle
40910	5/16" 6 pt. Skt.	40961	2" Extension
40911	11/32" 6 pt. Skt.	40962	6" Extension
40912	3/8" 6 pt. Skt.	40970	Ratchet
40914	7/16" 6 pt. Skt.		

Std. Pkg. 1

Shipping Weight Each, 1.4 lbs.



**MASTER SET No. 4921 (21 pcs.)**

9 Standard Sockets and 7 Deep Sockets (all 6 pt.); 1 Ratchet and 4 Accessories, all 1/4" drive. Packed in steel case: 1 1/8" high, 10 1/2" long, 2 1/2" wide.

No.	Description	No.	Description
40906	3/16" Std. Skt.	41910	5/16" Deep Skt.
40907	7/32" Std. Skt.	41911	11/32" Deep Skt.
40908	1/4" Std. Skt.	41912	3/8" Deep Skt.
40909	9/32" Std. Skt.	41914	7/16" Deep Skt.
40910	5/16" Std. Skt.	41916	1/2" Deep Skt.
40911	11/32" Std. Skt.	40954	Spinner Handle
40912	3/8" Std. Skt.	40961	2" Extension
40914	7/16" Std. Skt.	40962	6" Extension
40916	1/2" Std. Skt.	40970	Ratchet
41908	1/4" Deep Skt.	40990	Universal Joint
41909	9/32" Deep Skt.		

Std. Pkg. 1

Shipping Weight Each, 2.3 lbs.



**3/8"**  
**drive**

**socket  
sets**

**S·K**

**WAYNE**



**BASIC SET No. 4511 (11 pcs.)**

7 Standard Sockets, 1 Spark Plug Socket, with neoprene insert, 1 Ratchet and 2 Accessories, all 3/8" drive. Packed in steel case: 1 1/8" high; 8 1/2" long; 3 3/8" wide.

No.	Description	No.	Description
45112	3/8" 6 pt. Skt.	45124	3/4" 12 pt. Skt.
45114	7/16" 6 pt. Skt.	45160	3" Extension
45116	1/2" 6 pt. Skt.	45161	6" Extension
45118	9/16" 6 pt. Skt.	45170	Ratchet
45120	5/8" 12 pt. Skt.	4426	13/16" Spark Plug Skt.
45122	1 1/16" 12 pt. Skt.		

Std. Pkg. 1

Shipping Weight Each, 2.6 lbs.



**SET No. 4607 (7 pcs.)**

7 Flex Sockets, 3/8" drive, all 6 point. Packed in steel case, 1 1/8" high; 6 1/2" long; 2 5/16" wide.

No.	Description	No.	Description
40612	3/8" Flex Skt.	40620	5/8" Flex Skt.
40614	7/16" Flex. Skt.	40622	11/16" Flex Skt.
40616	1/2" Flex Skt.	40624	3/4" Flex Skt.
40618	9/16" Flex Skt.		

Std. Pkg. 1

Shipping Weight Each, 1.2 lbs.



**SET No. 4408 (8 pcs.)**

8 Deep Sockets, 3/8" drive, all 6 point. Packed in steel case, 1 1/4" high; 7" long; 2 3/4" wide.

No.	Description	No.	Description
40412	3/8" Deep Skt.	40420	5/8" Deep Skt.
40414	7/16" Deep Skt.	40422	11/16" Deep Skt.
40416	1/2" Deep Skt.	40424	3/4" Deep Skt.
40418	9/16" Deep Skt.	40426	13/16" Deep Skt.

Std. Pkg. 1

Shipping Weight Each, 2.0 lbs.



**3/8"**  
**drive**

**socket  
sets**

**S-K**

**WAYNE**

These sets combine 3/8" drive sockets and handles. Exceptionally popular among automotive and airplane mechanics, factory maintenance men, appliance repairmen, tradesmen, farmers and hobbyists.



**ALL-PURPOSE SET No. 4520 (20 pcs.)**

7 Standard Sockets, 8 Deep Sockets, 1 Ratchet and 4 Accessories, all 3/8" drive. Packed in steel case: 1 1/2" high; 15" long; 3" wide.

No.	Description	No.	Description
45112	3/8" Std. 6 pt. Skt.	40418	9/16" Deep 6 pt. Skt.
45114	7/16" Std. 6 pt. Skt.	40420	5/8" Deep 6 pt. Skt.
45116	1/2" Std. 6 pt. Skt.	40422	11/16" Deep 6 pt. Skt.
45118	9/16" Std. 6 pt. Skt.	40424	3/4" Deep 6 pt. Skt.
45120	5/8" Std. 12 pt. Skt.	40426	13/16" Deep 6 pt. Skt.
45122	11/16" Std. 12 pt. Skt.	45153	Flex Handle
45124	3/4" Std. 12 pt. Skt.	45159	1 1/2" Extension
40412	3/8" Deep 6 pt. Skt.	45160	3" Extension
40414	7/16" Deep 6 pt. Skt.	45170	Ratchet
40416	1/2" Deep 6 pt. Skt.	45190	Universal Joint

Std. Pkg. 1

Shipping Weight Each, 5.0 lbs.


**MASTER SET No. 4527 (27 pcs.) formerly No. 4528**

7 Standard Sockets, 8 Deep Sockets, 5 Flex Sockets, 1 Ratchet and 6 Accessories, all 3/8" drive. Packed in steel case: 1 1/2" high; 17 3/8" long; 4 7/8" wide.

No.	Description	No.	Description
40412	3/8" Deep 6 pt. Skt.	45114	7/16" Std. 6 pt. Skt.
40414	7/16" Deep 6 pt. Skt.	45116	1/2" Std. 6 pt. Skt.
40416	1/2" Deep 6 pt. Skt.	45118	9/16" Std. 6 pt. Skt.
40418	9/16" Deep 6 pt. Skt.	45120	5/8" Std. 12 pt. Skt.
40420	5/8" Deep 6 pt. Skt.	45122	11/16" Std. 12 pt. Skt.
40422	11/16" Deep 6 pt. Skt.	45124	3/4" Std. 12 pt. Skt.
40424	3/4" Deep 6 pt. Skt.	45153	Flex Handle
40426	13/16" Deep 6 pt. Skt.	45160	3" Extension
40614	7/16" Flex 6 pt. Skt.	45161	6" Extension
40616	1/2" Flex 6 pt. Skt.	45162	12" Extension
40618	9/16" Flex 6 pt. Skt.	45170	Ratchet
40620	5/8" Flex 6 pt. Skt.	45181	Speeder
40622	11/16" Flex 6 pt. Skt.	45190	Universal Joint
45112	3/8" Std. 6 pt. Skt.		

Std. Pkg. 1

Shipping Weight Each, 9.0 lbs.





**1/2"  
drive**

**socket  
sets**

**S·K**

**WAYNE**



**BASIC SET No. 4112 (12 pcs.)**

9 Standard Sockets, 1 Spark Plug Socket with neoprene insert, 1 Reversible Ratchet and 1 Extension, all 1/2" drive. Packed in steel case: 1 13/16" high; 10 3/4" long; 3 3/4" wide.

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40126	13/16" Std. 12 pt. Skt.
40116	1/2" Std. 6 pt. Skt.	40128	7/8" Std. 12 pt. Skt.
40118	9/16" Std. 6 pt. Skt.	40130	15/16" Std. 12 pt. Skt.
40120	5/8" Std. 12 pt. Skt.	40161	5" Extension
40122	11/16" Std. 12 pt. Skt.	42470	Ratchet
40124	3/4" Std. 12 pt. Skt.	4826	13/16" Spark Plug Skt.

Std. Pkg. 1

Shipping Weight Each, 5.2 lbs.


**ALL-PURPOSE SET No. 4118 (18 pcs.)**

12 Standard Sockets, 1 Ratchet and 5 Accessories, all 1/2" drive. Packed in steel case: 1 3/4" high; 18 5/8" long; 6 1/4" wide.

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40132	1" Std. 12 pt. Skt.
40116	1/2" Std. 6 pt. Skt.	40134	1 1/16" Std. 12 pt. Skt.
40118	9/16" Std. 6 pt. Skt.	40136	1 1/8" Std. 12 pt. Skt.
40120	5/8" Std. 12 pt. Skt.	40152	Slide T Handle
40122	11/16" Std. 12 pt. Skt.	40161	5" Extension
40124	3/4" Std. 12 pt. Skt.	40162	10" Extension
40126	13/16" Std. 12 pt. Skt.	40181	Speeder Handle
40128	7/8" Std. 12 pt. Skt.	41653	17" Flex Handle
40130	15/16" Std. 12 pt. Skt.	42470	Ratchet

Std. Pkg. 1

Shipping Weight Each, 14 lbs.




**SET No. 4808 (8 pcs.)**

8 Deep Sockets, 1/2" drive. Packed in steel case: 1 1/2" high; 8 3/4" long; 3 3/4" wide.

No.	Description	No.	Description
40816	1/2" Deep 12 pt. Skt.	40824	3/4" Deep 12 pt. Skt.
40818	9/16" Deep 12 pt. Skt.	40826	13/16" Deep 12 pt. Skt.
40820	5/8" Deep 12 pt. Skt.	40828	7/8" Deep 12 pt. Skt.
40822	11/16" Deep 12 pt. Skt.	40830	15/16" Deep 12 pt. Skt.

Std. Pkg. 1

Shipping Weight Each, 4.3 lbs.



**INTERMEDIATE SET No. 4116 (16 pcs.)**

13 Standard Sockets, 1 Ratchet and 2 Accessories, all 1/2" drive. Packed in steel case: 1 7/8" high; 17" long; 3 5/8" wide.

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40130	15/16" Std. 12 pt. Skt.
40116	1/2" Std. 6 pt. Skt.	40132	1" Std. 12 pt. Skt.
40118	9/16" Std. 6 pt. Skt.	40134	1 1/16" Std. 12 pt. Skt.
40120	5/8" Std. 12 pt. Skt.	40136	1 1/8" Std. 12 pt. Skt.
40122	11/16" Std. 12 pt. Skt.	40140	1 1/4" Std. 12 pt. Skt.
40124	3/4" Std. 12 pt. Skt.	40161	5" Extension
40126	13/16" Std. 12 pt. Skt.	41653	17" Flex Handle
40128	7/8" Std. 12 pt. Skt.	42470	Ratchet

Std. Pkg. 1

Shipping Weight Each, 10 lbs.




**MASTER SET No. 4121 (21 pcs.) formerly No. 4122**

13 Standard Sockets, 1 Spark Plug Socket, 1 Ratchet and 6 Accessories, all  $\frac{1}{2}$ " drive. Packed in heavy-duty steel box with full-size tote tray. Full length draw bolt equipped for padlock. Box Size:  $8\frac{3}{4}$ " high; 19" long; 7" wide.

No.	Description	No.	Description
40114	$\frac{7}{16}$ " Std. 6 pt. Skt.	40134	$1\frac{1}{16}$ " Std. 12 pt. Skt.
40116	$\frac{1}{2}$ " Std. 6 pt. Skt.	40136	$1\frac{1}{8}$ " Std. 12 pt. Skt.
40118	$\frac{9}{16}$ " Std. 6 pt. Skt.	40140	$1\frac{1}{4}$ " Std. 12 pt. Skt.
40120	$\frac{5}{8}$ " Std. 12 pt. Skt.	40160	2" Extension
40122	$1\frac{1}{16}$ " Std. 12 pt. Skt.	40161	5" Extension
40124	$\frac{3}{4}$ " Std. 12 pt. Skt.	40162	10" Extension
40126	$1\frac{3}{16}$ " Std. 12 pt. Skt.	40181	Speeder Handle
40128	$\frac{7}{8}$ " Std. 12 pt. Skt.	40190	Universal Joint
40130	$1\frac{5}{16}$ " Std. 12 pt. Skt.	4826	$1\frac{3}{16}$ " Spark Plug Skt.
40132	1" Std. 12 pt. Skt.	41653	17" Flex Handle
		42470	Ratchet

Std. Pkg. 1

Shipping Weight Each, 21 lbs.

 **$\frac{1}{2}$ "  
drive****socket  
sets****S·K****WAYNE** **$\frac{1}{4}$ " DRIVE COMPONENTS (15 pcs.)**

No.	Description	No.	Description
40906	$\frac{3}{16}$ " 6 pt. Skt.	40916	$\frac{1}{2}$ " 6 pt. Skt.
40907	$\frac{7}{32}$ " 6 pt. Skt.	40988	$\frac{1}{4}$ " 8 pt. Skt.
40908	$\frac{1}{4}$ " 6 pt. Skt.	40900	$\frac{5}{16}$ " 8 pt. Skt.
40909	$\frac{9}{32}$ " 6 pt. Skt.	40954	Spinner Handle
40910	$\frac{5}{16}$ " 6 pt. Skt.	40961	2" Extension
40911	$1\frac{1}{32}$ " 6 pt. Skt.	40962	6" Extension
40912	$\frac{3}{8}$ " 6 pt. Skt.	40970	Ratchet
40914	$\frac{7}{16}$ " 6 pt. Skt.		

 **$\frac{3}{8}$ " DRIVE COMPONENTS (14 pcs.)**

No.	Description	No.	Description
45112	$\frac{3}{8}$ " 6 pt. Skt.	45159	$1\frac{1}{2}$ " Extension
45114	$\frac{7}{16}$ " 6 pt. Skt.	45161	6" Extension
45116	$\frac{1}{2}$ " 6 pt. Skt.	45162	12" Extension
45118	$\frac{9}{16}$ " 6 pt. Skt.	45170	Ratchet
45120	$\frac{5}{8}$ " 12 pt. Skt.	45181	Speeder Handle
45122	$1\frac{1}{16}$ " 12 pt. Skt.	45190	Universal Joint
45124	$\frac{3}{4}$ " 12 pt. Skt.	4426	$1\frac{3}{16}$ " Spark Plug Skt.

 **$\frac{1}{2}$ " DRIVE COMPONENTS (21 pcs.)**

No.	Description	No.	Description
40114	$\frac{7}{16}$ " 6 pt. Skt.	40134	$1\frac{1}{16}$ " 12 pt. Skt.
40116	$\frac{1}{2}$ " 6 pt. Skt.	40136	$1\frac{1}{8}$ " 12 pt. Skt.
40118	$\frac{9}{16}$ " 6 pt. Skt.	40138	$1\frac{3}{16}$ " 12 pt. Skt.
40119	$\frac{19}{32}$ " 12 pt. Skt.	40140	$1\frac{1}{4}$ " 12 pt. Skt.
40120	$\frac{5}{8}$ " 12 pt. Skt.	40160	2" Extension
40122	$1\frac{1}{16}$ " 12 pt. Skt.	40161	5" Extension
40124	$\frac{3}{4}$ " 12 pt. Skt.	40162	10" Extension
40126	$1\frac{3}{16}$ " 12 pt. Skt.	40190	Universal Joint
40128	$\frac{7}{8}$ " 12 pt. Skt.	41653	17" Flex Handle
40130	$1\frac{5}{16}$ " 12 pt. Skt.	42470	Ratchet
40132	1" 12 pt. Skt.		

Std. Pkg. 1.

Shipping Weight Each, 30 lbs.

**GENERAL-PURPOSE COMBINATION SET  
No. 4150 (50 pcs.)**

This fifty piece selection includes a wide range of standard sockets, ratchets, extensions, handles and universal joints. Complete set is packed in a very popular style metal box with full-size tote tray — ample space for many additional tools. Box Size:  $9\frac{1}{2}$ " high; 20" long;  $8\frac{1}{2}$ " wide.




**3/4"  
drive**

**socket  
sets**

**S·K**

**WAYNE**



**BASIC SET No. 4711 (11 pcs.)**

Specially designed for heavy-duty truck, tractor and bus work, this popular assortment will serve the needs of the average mechanic. 9 Sockets, all 12 pt., and 2 Accessories. Packed in steel case: 2 1/2" high; 18 3/8" long; 5 1/2" wide.

No.	Description	No.	Description
47130	1 5/16" Skt.	47146	1 7/16" Skt.
47134	1 1/16" Skt.	47148	1 1/2" Skt.
47136	1 1/8" Skt.	47152	1 5/8" Skt.
47140	1 1/4" Skt.	47153	Slide T Handle
47142	1 5/16" Skt.	47161	8" Extension
47144	1 3/8" Skt.		

Std. Pkg. 1

Shipping Weight Each, 17 lbs.

**SET No. 4711A (not shown)**

Identical to set 4711 above, but with No. 47155 Flex Handle instead of No. 47153 Slide T.

Std. Pkg. 1

Shipping Weight Each, 16 lbs.

**MASTER SET No. 4722 (22 pcs.)**

A full-range set to answer the needs of mechanics servicing heavy duty truck, tractor, bus, oil well, railway or diesel equipment. 18 Sockets, all 12 pt., 1 Ratchet and 3 Accessories. Packed in sturdy metal box featuring lift-out tray, piano-type hinge, and hasp for padlock: 9 1/2" high; 20" long; 8 1/2" wide.

No.	Description	No.	Description
47128	7/8" Skt.	47150	1 9/16" Skt.
47130	1 5/16" Skt.	47152	1 3/8" Skt.
47132	1" Skt.	47154	1 11/16" Skt.
47134	1 1/16" Skt.	47156	1 3/4" Skt.
47136	1 1/8" Skt.	47158	1 13/16" Skt.
47138	1 3/16" Skt.	47160	1 7/8" Skt.
47140	1 1/4" Skt.	47164	2" Skt.
47142	1 5/16" Skt.	47153	Slide T Handle
47144	1 3/8" Skt.	47161	8" Extension
47146	1 7/16" Skt.	47162	16" Extension
47148	1 1/2" Skt.	47170	Ratchet

Std. Pkg. 1

Shipping Weight Each, 44 lbs.





**1/4"-3/8"-1/2"**  
**drive**

**master  
combination  
set**

**S-K**

**WAYNE**

**1/4" DRIVE COMPONENTS (16 pcs.)**

No.	Description	No.	Description
40906	3/16" 6 pt. Skt.	40916	1/2" 6 pt. Skt.
40907	7/32" 6 pt. Skt.	40988	1/4" 8 pt. Skt.
40908	1/4" 6 pt. Skt.	40900	5/16" 8 pt. Skt.
40909	9/32" 6 pt. Skt.	40954	Spinner Handle
40910	5/16" 6 pt. Skt.	40961	2" Extension
40911	11/32" 6 pt. Skt.	40962	6" Extension
40912	3/8" 6 pt. Skt.	40970	Ratchet
40914	7/16" 6 pt. Skt.	40990	Universal Joint

**3/8" DRIVE COMPONENTS (29 pcs.)**

No.	Description	No.	Description
45112	3/8" Std. 6 pt. Skt.	40414	7/16" Deep 6 pt. Skt.
45114	7/16" Std. 6 pt. Skt.	40416	1/2" Deep 6 pt. Skt.
45116	1/2" Std. 6 pt. Skt.	40418	9/16" Deep 6 pt. Skt.
45118	5/8" Std. 6 pt. Skt.	40420	3/4" Deep 6 pt. Skt.
45120	3/4" Std. 12 pt. Skt.	40422	11/16" Deep 6 pt. Skt.
45122	11/16" Std. 12 pt. Skt.	40424	3/4" Deep 6 pt. Skt.
45124	3/4" Std. 12 pt. Skt.	40426	13/16" Deep 6 pt. Skt.
45153	Flex Handle	40612	3/8" Flex 6 pt. Skt.
45160	3" Extension	40614	7/16" Flex 6 pt. Skt.
45161	6" Extension	40616	1/2" Flex 6 pt. Skt.
45162	12" Extension	40618	9/16" Flex 6 pt. Skt.
45170	Ratchet	40620	5/8" Flex 6 pt. Skt.
45181	Speeder Handle	40622	11/16" Flex 6 pt. Skt.
45190	Universal Joint	40624	3/4" Flex 6 pt. Skt.
40412	3/8" Deep 6 pt. Skt.		

**1/2" DRIVE COMPONENTS (30 pcs.)**

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40160	2" Extension
40116	1/2" Std. 6 pt. Skt.	40161	5" Extension
40118	9/16" Std. 6 pt. Skt.	40162	10" Extension
40119	19/32" Std. 12 pt. Skt.	40181	Speeder Handle
40120	5/8" Std. 12 pt. Skt.	40190	Universal Joint
40122	11/16" Std. 12 pt. Skt.	41653	17" Flex Handle
40124	3/4" Std. 12 pt. Skt.	42470	Ratchet
40126	13/16" Std. 12 pt. Skt.	40816	1/2" Deep Skt.
40128	7/8" Std. 12 pt. Skt.	40818	9/16" Deep Skt.
40130	15/16" Std. 12 pt. Skt.	40820	3/8" Deep Skt.
40132	1" Std. 12 pt. Skt.	40822	11/16" Deep Skt.
40134	1 1/16" Std. 12 pt. Skt.	40824	3/4" Deep Skt.
40136	1 1/8" Std. 12 pt. Skt.	40826	13/16" Deep Skt.
40140	1 1/4" Std. 12 pt. Skt.	40828	7/8" Deep Skt.
4V118	9/16" Ford V8 Rod Skt.	40830	15/16" Deep Skt.

**COMBINATION and BOX WRENCHES (10 pcs.)**

No.	Description	No.	Description
M -1214	3/8" x 7/16" Short Box	C-16	1/2" Comb. Wr.
M -1618	1/2" x 9/16" Short Box	C-18	9/16" Comb. Wr.
M -2022	5/8" x 11/16" Short Box	C-20	5/8" Comb. Wr.
C-12	3/8" Comb. Wr.	C-22	11/16" Comb. Wr.
C-14	7/16" Comb. Wr.	C-24	3/4" Comb. Wr.

**MASTER COMBINATION SET No. 4185 (85 pcs.)**

A really complete Socket Wrench set — with an all-purpose selection of standard, special and deep sockets, handles, extensions, ratchets, universal joints and flex sockets, plus seven combination wrenches and three short box end wrenches. 1/4" drive set is packed in individual steel case. Entire set is packed in our No. 1541 HEAVY DUTY TOOL CHEST: 10" high; 22" long; 10" wide. (For detailed information on this chest, see page 31.)




No. 4185 Master Combination Set: std. pkg. 1. Shipping Weight Each, 59 lbs.




# metrics

## S-K

## WAYNE



### METRIC SOCKETS & SETS— $\frac{3}{8}$ " DRIVE



#### SET No. 13 — $\frac{3}{8}$ " DRIVE

13 metric sockets, 6 point, sizes 7 mm. through 19 mm. in unique flip-lock tray.

Std. Pkg. 1

Shipping Wt. 1.3 lbs.



### METRIC COMBINATION WRENCHES & SETS



#### INDIVIDUAL METRIC COMBINATION WRENCHES

Item No.	Size	Std. Pkg. Quantity	Pkg. Wt.
8307	7 mm.	6	.3 lb.
8308	8 mm.	6	.3 lb.
8309	9 mm.	6	.4 lb.
8310	10 mm.	6	.5 lb.
8311	11 mm.	6	.7 lb.
8312	12 mm.	6	.8 lb.
8313	13 mm.	6	1.0 lb.
8314	14 mm.	6	1.4 lbs.
8315	15 mm.	6	1.6 lbs.
8316	16 mm.	6	1.9 lbs.
8317	17 mm.	6	2.1 lbs.
8318	18 mm.	6	2.3 lbs.
8319	19 mm.	6	2.9 lbs.
8321	21 mm.	6	3.8 lbs.
8322	22 mm.	6	4.5 lbs.

7mm. thru 13 mm. wrenches have 6 pt. box ends.  
14 mm. thru 22 mm. wrenches have 12 pt. box ends.

8

#### INDIVIDUAL METRIC SOCKETS

All 6 point —  $\frac{3}{8}$ " drive

Item No.	Size	Std. Pkg. Quantity	Pkg. Weight
307	7 mm.	6	.3
308	8 mm.	6	.3
309	9 mm.	6	.3
310	10 mm.	6	.3
311	11 mm.	6	.3
312	12 mm.	6	.3
313	13 mm.	6	.4
314	14 mm.	6	.4
315	15 mm.	6	.5
316	16 mm.	6	.6
317	17 mm.	6	.7
318	18 mm.	6	.8
319	19 mm.	6	.8

#### SET No. 14 — $\frac{3}{8}$ " DRIVE

10 metric sockets, 6 point, sizes 7 mm. through 15 mm. and 17 mm.;  $\frac{13}{16}$ " spark plug holding socket;  $1\frac{1}{2}$ " and 6" extensions; and famous S-K ratchet. Metal box  $1\frac{1}{2}$ " x  $8\frac{1}{2}$ " x  $3\frac{3}{8}$ ".

Std. Pkg. 1

Shipping Wt. 2.6 lbs.



#### SET 1811 (11 pcs. in tool bag) METRIC COMBINATION WRENCHES

No.	Size
8307	7 mm.
8308	8 mm.
8309	9 mm.
8310	10 mm.
8311	11 mm.
8312	12 mm.
8313	13 mm.
8314	14 mm.
8315	15 mm.
8317	17 mm.
8319	19 mm.

Std. Pkg. 3


Shipping Wt. 6.25 lbs.

#### SET 1807 (7 pcs. in tool bag) METRIC COMBINATION WRENCHES

No.	Size
8307	7 mm.
8309	9 mm.
8310	10 mm.
8311	11 mm.
8313	13 mm.
8314	14 mm.
8315	15 mm.

Std. Pkg. 6

Shipping Wt. 5.8 lbs.





S-K Wayne sockets, ratchets and accessories are famous for highly-polished finishes, superior design, rugged strength, perfect balance and precision machined openings. These quality features make them outstanding hand tool values.

#### REVERSIBLE RATCHET



Has 60-Tooth mechanism, an exclusive design which permits operation in arcs as small as 6°. For other details on S-K Ratchets, see Back Cover.

Part Number	Length	Head Diam.	Pkg.* Weight
40970	4½"	1"	1.1 lbs.

#### SPINNER HANDLE




Part Number	Length	Pkg.* Weight
40954	6"	1.0 lb.

#### FLEX HEAD HANDLE




Part Number	Length	Head Diam.	Pkg.* Weight
40953	5¼"	½"	1.2 lbs.

#### EXTENSIONS



Part Number	Length	Diam.	Pkg.* Weight
40961	2"	21/64"	.3 lb.
40962	6"	21/64"	.9 lb.

#### UNIVERSAL JOINT 409 Series



Part Number	Length	Pkg.* Weight
40990	11½"	.3 lb.

1/4"  
drive

sockets,  
handles &  
attachments



S-K 1/4" drive sockets and handles are widely preferred by automotive, aircraft and industrial mechanics who appreciate smart design, accurate machining and high-quality finishes.

#### STANDARD SOCKETS 409 Series

6 Point



Part Number	Size	Length	Pkg.* Weight
40906	3/16"	7/8"	.2 lb.
40907	7/32"	7/8"	.2 lb.
40908	1/4"	7/8"	.2 lb.
40909	9/32"	7/8"	.2 lb.
40910	5/16"	7/8"	.2 lb.
40911	11/32"	7/8"	.2 lb.
40912	3/8"	7/8"	.2 lb.
40914	7/16"	7/8"	.3 lb.
40916	1/2"	7/8"	.3 lb.

8 Point



Part Number	Size	Length	Pkg.* Weight
40988	1/4"	7/8"	.2 lb.
40900	5/16"	7/8"	.3 lb.
40901	3/8"	7/8"	.3 lb.

#### DEEP SOCKET 419 Series

6 Point



Part Number	Size	Length	Pkg.* Weight
41908	1/4"	2"	.3 lb.
41909	9/32"	2"	.3 lb.
41910	5/16"	2"	.4 lb.
41911	11/32"	2"	.4 lb.
41912	3/8"	2"	.5 lb.
41914	7/16"	2"	.6 lb.
41916	1/2"	2"	.7 lb.

\*All above items packed in standard package of 6



# sockets handles & attachments

## 3/8" drive

**S-K**

**WAYNE**

These 3/8" drive sockets and handles are widely preferred by automotive, aircraft and industrial mechanics who appreciate smart design, accurate machining and high-quality finish.

### ROTO-RATCHET



Ten-inch handle pivots through full 270° arc, offers unmatched versatility of use. Nickel chrome plated for superior protection and appearance. Tested and proved by auto mechanics.

Part No.	Length	Std. Pkg.	Pkg. Weight
3870	10½"	6	6.2 lbs.

### FLEX HEAD HANDLE



Part Number	Length	Head Diam.	Pkg.* Weight
45153	7½"	¾"	3.1 lbs.

### UNIVERSAL JOINT



Part Number	Length	Pkg.* Weight
45190	1⅞"	.8 lb.

### ADAPTERS




Permit use of ¼" and ½" drive sockets with 3/8" drive handles.

Part Number	Size	Length	Pkg.* Weight
384	3/8" F-¼" M	1⅞"	.4 lb.
451	3/8" F-½" M	1⅞"	.5 lb.

### FLEX SOCKETS 406 Series

6 Point



Part Number	Size	Length	Pkg.* Weight
40612	3/8"	1⅞"	.5 lb.
40614	7/16"	1⅞"	.5 lb.
40616	½"	1⅞"	.6 lb.
40618	9/16"	1¾"	.7 lb.
40620	5/8"	1⅝¼"	.8 lb.
40622	11/16"	1⅜¼"	.8 lb.
40624	¾"	1⅞"	.9 lb.


### REVERSIBLE RATCHET



Another of the famous line of S-K Ratchets — with close, positive action assured by 40-tooth mechanism. This handle saves time on jobs in cramped quarters. For details on S-K Ratchets, see Back Cover.


Part Number	Length	Head Diam.	Pkg.* Weight
45170	7½"	1⅞"	3.7 lbs.

### SPEEDER HANDLE



Part Number	Length	Diam.	Pkg.* Weight
45181	16½"	3/8"	5.9 lb.

### EXTENSIONS



Part Number	Length	Diam.	Pkg.* Weight
45159	1½"	—	.5 lb.
45160	3"	7/16"	1.0 lb.
45161	6"	7/16"	1.7 lbs.
45162	12"	7/16"	3.3 lbs.

\*All above items packed in standard package of 6



## STANDARD SOCKETS 451 Series

6 Point




Part Number	Size	Length	Pkg.* Weight
45112 (6 pt.)	3/8"	7/8"	.2 lb.
45114 (6 pt.)	7/16"	7/8"	.3 lb.
45116 (6 pt.)	1/2"	7/8"	.3 lb.
45118 (6 pt.)	9/16"	7/8"	.4 lb.

12 Point



Part Number	Size	Length	Pkg.* Weight
45120 (12 pt.)	5/8"	7/8"	.5 lb.
45122 (12 pt.)	11/16"	1"	.6 lb.
45124 (12 pt.)	3/4"	1"	.7 lb.
45126 (12 pt.)	13/16"	1 1/8"	.9 lb.
45128 (12 pt.)	7/8"	1 1/8"	1.0 lb.

## SPARK PLUG SOCKET



Neoprene insert holds spark plug securely. Protects porcelain.

Part Number	Size	Length	Pkg.* Weight
4426	13/16"	2 5/16"	1.7 lbs.

## DEEP SOCKETS 404 Series

6 Point



Part Number	Size	Length	Pkg.* Weight
40412	3/8"	1 3/4"	.5 lb.
40414	7/16"	1 3/4"	.5 lb.
40416	1/2"	1 3/4"	.6 lb.
40418	9/16"	1 3/4"	.8 lb.
40420	5/8"	2 1/2"	1.3 lbs.
40422	11/16"	2 1/2"	1.5 lbs.
40424	3/4"	2 1/2"	1.9 lbs.
40426	13/16"	2 1/2"	2.1 lbs.

\*All above items packed in standard package of 6


## ratchet renewals

1/4"

3/8"

1/2"

3/4"




S-K

WAYNE

S-K ratchets are designed so it is a simple operation to remove a worn operating mechanism and install a Ratchet Renewal unit. (Further information on back cover.)

Part Number	Old No.	Drive Size	Std. Pkg.	Weight Each
40970-2	B 40970	1/4"	1	.1 lb.
45170-2	B 45170	3/8"	1	.2 lb.
42470-2	B 42470	1/2"	1	.3 lb.
47170-2	B 47170	3/4"	1	1.0 lb.

If upon inspection the operating mechanism (illustrated at right) is found to be worn out, Ratchet Renewals are available from your tool source. On-the-spot purchase and installation of a renewal unit eliminates the necessity of a mechanic being without his ratchet while it is being serviced.





# sockets, handles & attachments

## 1/2" drive

**S·K**

**WAYNE**

### REVERSIBLE RATCHET



Precision machined, 50-tooth mechanism assures close action. For other details on S-K Ratchets, see Back Cover.


Part Number	Length	Head Diam.	Pkg.* Weight
42470	10 1/2"	1 3/4"	7.5 lbs.
40170	15"	1 7/8"	10.8 lbs.



**SPEEDER  
HANDLE**

Part Number	Length	Diam.	Pkg.* Weight
40181	18"	1/2"	9.9 lbs.

### FLEX HEAD HANDLE



41653 is a dual purpose tool, having a female square broached in handle for use as a 17" extension — (see illustration).


Part Number	Length	Head Diam.	Pkg.* Weight
40253	15 1/2"	1 1/8"	8.7 lbs.
41653	17"	1 1/8"	12.5 lbs.

### SLIDE "T" HANDLE





Part Number	Length	Diam.	Pkg.* Weight
40152	10"	9/16"	5.5 lbs.

### EXTENSIONS



Part Number	Length	Diam.	Pkg.* Weight
40160	2"	9/16"	1.1 lbs.
40161	5"	9/16"	2.2 lbs.
40162	10"	9/16"	4.0 lbs.

### STANDARD SOCKETS 401 Series



Part Number	Size	Length	Pkg.* Weight
40114	7/16"	1 1/2"	.8 lb.
40116	1/2"	1 1/2"	.8 lb.
40118	9/16"	1 17/32"	.9 lb.

Part Number	Size	Length	Pkg.* Weight
40119	19/32"	1 17/32"	.9 lb.
40120	5/8"	1 9/16"	.9 lb.
40122	11/16"	1 19/32"	1.3 lbs.
40124	3/4"	1 19/32"	1.5 lbs.
40125	29/32"	1 5/8"	1.4 lbs.
40126	13/16"	1 5/8"	1.6 lbs.
40128	7/8"	1 21/32"	1.8 lbs.
40130	15/16"	1 21/32"	2.0 lbs.
40132	1"	1 11/16"	2.6 lbs.
40134	1 1/16"	1 23/32"	2.8 lbs.
40136	1 1/8"	1 3/4"	3.1 lbs.
40138	1 3/16"	1 3/4"	3.6 lbs.
40140	1 1/4"	1 3/4"	3.6 lbs.


### DEEP SOCKETS 408 Series



12 Point


Part Number	Size	Length	Pkg.* Weight
40816	1/2"	3 1/4"	1.9 lbs.
40818	9/16"	3 1/4"	1.9 lbs.
40820	5/8"	3 1/4"	2.1 lbs.
40822	11/16"	3 1/4"	2.2 lbs.
40824	3/4"	3 1/4"	2.6 lbs.
40826	13/16"	3 1/4"	2.4 lbs.
40828	7/8"	3 1/4"	3.7 lbs.
40830	15/16"	3 1/4"	4.0 lbs.
40832	1"	3 1/4"	4.4 lbs.
40834	1 1/16"	3 1/4"	4.7 lbs.
40836	1 1/8"	3 1/4"	4.9 lbs.

### SPARK PLUG SOCKET



Neoprene insert holds spark plug securely. Protects porcelain.

Part Number	Size	Length	Pkg.* Weight
4826	13/16"	2 17/32"	1.8 lbs.



### UNIVERSAL JOINT

Part Number 40190; Length 2 5/16"; Pkg.\* Weight 1.50 lbs.

### DRAG LINK SOCKET

Part Number 40809; Blade Dim. 1 5/16" x .15"; Length 1 19/32"; Pkg.\* Weight 1.00 lb.



### FORD V8 CONNECTING ROD SOCKET

Part Number 4V118; Size 9/16"; Length, 1 1/4"; Pkg.\* Weight .80 lb. (Extra thin — not guaranteed)



### ADAPTERS

Part Number 401; Size 1/2" Female — 3/8" Male; Length 1 1/8". Permits use of 3/8" drive sockets with 1/2" drive handles. Pkg.\* Weight .60 lb.

Part Number 407; Size 1/2" Female — 3/4" Male; Length 1 7/8". Permits use of 3/4" drive sockets with 1/2" drive handles. Pkg.\* Weight 1.5 lbs.






**3/4"  
drive**

**sockets,  
handles &  
attachments**

### REVERSIBLE RATCHET



Positive type, 70-tooth mechanism operates in only 5.1°. Strength, balance and durability are contributing factors also to its unprecedented mechanic acceptance. For other details on S-K Ratchets, see Back Cover.

Part Number	Length	Head Diam.	Pkg.† Weight
47170	18"	2 7/8"	5.2 lbs.

**S-K**

**WAYNE**

### FLEX HEAD HANDLE



Part Number	Length	Head Diam.	Pkg.† Weight
47155	19"	1 1/2"	3.6 lbs.


These heavy-duty tools handle the big jobs in factories and heavy industrial work. Also used extensively in shipyards, heavy construction, and servicing of trucks, tractors, oil wells, buses, railway and diesel equipment.

### SLIDE "T" HANDLE



Part Number	Length	Diam.	Pkg.† Weight
47153	18"	7/8"	3.8 lbs.

### EXTENSIONS



Part Number	Length	Diam.	Pkg.† Weight
47159	3"	1 5/16"	.8 lb.
47161	8"	1 5/16"	1.7 lbs.
47162	16"	1 5/16"	3.4 lbs.

### STANDARD SOCKETS 471 Series





12 Point

Part Number	Size	Length	Pkg.† Weight	Part Number	Size	Length	Pkg.† Weight
47128	7/8"	2"	.5 lb.	47148	1 1/2"	2 5/16"	.9 lb.
47130	1 5/16"	2"	.5 lb.	47150	1 9/16"	2 11/32"	1.0 lb.
47132	1"	2"	.5 lb.	47152	1 3/8"	2 3/8"	1.0 lb.
47134	1 1/16"	2"	.5 lb.	47154	1 11/16"	2 7/16"	1.1 lbs.
47136	1 1/8"	2 1/16"	.6 lb.	47156	1 3/4"	2 1/2"	1.2 lbs.
47138	1 3/16"	2 3/32"	.6 lb.	47158	1 13/16"	2 9/16"	1.3 lbs.
47140	1 1/4"	2 1/8"	.6 lb.	47160	1 7/8"	2 5/8"	1.4 lbs.
47142	1 5/16"	2 5/32"	.8 lb.	47164	2"	2 11/16"	1.5 lbs.
47144	1 3/8"	2 3/16"	.8 lb.	47168	2 1/8"	3 3/32"	1.8 lbs.
47146	1 7/16"	2 1/4"	.9 lb.	47172	2 1/4"	3 15/32"	2.6 lbs.

†All above items packed in standard package of 1




# alloy box end wrench sets



## SET 3 (3 pcs. in tool bag) SHORT PATTERN 12 PT. BOX WRENCHES

No.	Size	No.	Size
M -1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	M -2022	$\frac{5}{8}$ " x $1\frac{1}{16}$ "
M -1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "		


Std. Pkg. 6 Shipping Wt. 3.1 lbs.



## SET 330 (3 pcs. in tool roll) LONG PATTERN 6 PT. BOX WRENCHES

No.	Size
H -1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "
H -1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "
H -2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "

Std. Pkg. 3 Shipping Weight 3.3 lbs.



## SET 311R (11 pcs. in tool roll) LONG PATTERN 12 PT. BOX WRENCHES

No.	Size
B-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "
B-1416	$\frac{7}{16}$ " x $\frac{1}{2}$ "
B-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "
B-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "
B-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "
B-2224	$1\frac{1}{16}$ " x $\frac{3}{4}$ "
B-2628	$1\frac{3}{16}$ " x $\frac{7}{8}$ "
B-3032	$1\frac{5}{16}$ " x 1"

## SHORT PATTERN 12 PT. BOX WRENCHES

No.	Size
M -1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "
M -1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "
M -2022	$\frac{5}{8}$ " x $1\frac{1}{16}$ "


Std. Pkg. 1 Shipping Wt. 4.6 lbs.

Sets contain combinations of the B, HB and MB series 30° alloy box wrenches. Each wrench designed for strength, light weight and proper leverage. Tool rolls are made of durable vinyl impregnated cotton with heavy clear plastic pockets. All containers grommeted for hanging.

## SET 350 (5 pcs. in tool bag) LONG PATTERN 12 PT. BOX WRENCHES

No.	Size	No.	Size
B-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	B-2224	$1\frac{1}{16}$ " x $\frac{3}{4}$ "
B-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	B-2628	$1\frac{3}{16}$ " x $\frac{7}{8}$ "
B-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "		

Std. Pkg. 6 Shipping Weight 13 lbs.



## SET 360 (6 pcs. in tool roll) LONG PATTERN 12 PT. BOX WRENCHES

No.	Size
B-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "
B-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "
B-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "
B-2224	$1\frac{1}{16}$ " x $\frac{3}{4}$ "
B-2628	$1\frac{3}{16}$ " x $\frac{7}{8}$ "
B-3032	$1\frac{5}{16}$ " x 1"

Std. Pkg. 1 Shipping Weight 3.3 lbs.


## SET 380 (8 pcs. in tool roll)— Not illustrated LONG PATTERN 12 PT. BOX WRENCHES

No.	Size
B-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "
B-1416	$\frac{7}{16}$ " x $\frac{1}{2}$ "
B-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "
B-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "
B-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "
B-2224	$1\frac{1}{16}$ " x $\frac{3}{4}$ "
B-2628	$1\frac{3}{16}$ " x $\frac{7}{8}$ "
B-3032	$1\frac{5}{16}$ " x 1"

Std. Pkg. 1 Shipping Weight 4.1 lbs.




# alloy combination wrench sets



**SET 1706B**  
(6 pcs. in tool bag)  
COMBINATION  
WRENCHES

No.	Size
C-12	3/8"
C-14	7/16"
C-16	1/2"
C-18	9/16"
C-20	5/8"
C-22	11/16"

Std. Pkg. 6  
Shipping Weight 8.1 lbs.



**SET 1711B (11 pcs. in tool bag)**  
COMBINATION WRENCHES


No.	Size	No.	Size
C-12	3/8"	C-24	3/4"
C-14	7/16"	C-26	13/16"
C-16	1/2"	C-28	7/8"
C-18	9/16"	C-30	15/16"
C-20	5/8"	C-32	1"
C-22	11/16"		

Std. Pkg. 3      Shipping Weight 16 lbs.



These sets include C series alloy combination wrenches, properly machined and heat treated — nickel chrome plated and highly polished. Tool rolls are tough vinyl impregnated cotton with clear plastic pockets. Grommets for hanging.

**SET 1711R (11 pcs. in tool roll)**



COMBINATION WRENCHES

No.	Size	No.	Size
C-12	3/8"	C-24	3/4"
C-14	7/16"	C-26	13/16"
C-16	1/2"	C-28	7/8"
C-18	9/16"	C-30	15/16"
C-20	5/8"	C-32	1"
C-22	11/16"		

Std. Pkg. 1

Shipping Weight 5.5 lbs

**SET 1706R (6 pcs. in tool roll) — Not illustrated**  
COMBINATION WRENCHES

No.	Size	No.	Size
C-14	7/16"	C-20	5/8"
C-16	1/2"	C-22	11/16"
C-18	9/16"	C-24	3/4"


Std. Pkg. 1

Shipping Weight 1.9 lbs.

**SET 1714**  
(14 pcs. in tool roll)  
COMBINATION WRENCHES

No.	Size
C-12	3/8"
C-14	7/16"
C-16	1/2"
C-18	9/16"
C-20	5/8"
C-22	11/16"
C-24	3/4"
C-26	13/16"
C-28	7/8"
C-30	15/16"
C-32	1"
C-34	1 1/16"
C-36	1 1/8"
C-40	1 1/4"

Std. Pkg. 4  
Shipping Weight 48 lbs.






# alloy open end wrench sets

**S·K**


**WAYNE**



**SET 510 (10 pcs. in tool roll)  
OPEN END WRENCHES**

No.	Size	No.	Size
O-810	$\frac{1}{4}$ " x $\frac{5}{16}$ "	O-1922	$\frac{19}{32}$ " x $\frac{11}{16}$ "
O-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	O-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "
O-1416	$\frac{7}{16}$ " x $\frac{1}{2}$ "	O-2526	$\frac{25}{32}$ " x $\frac{13}{16}$ "
O-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	O-2428	$\frac{3}{4}$ " x $\frac{7}{8}$ "
O-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "	O-3032	$\frac{15}{16}$ " x 1"


Std. Pkg. 1 Shipping Weight 4.2 lbs.



**SET 25 (25 pcs.) COMPLETE WORKSHOP SET**

Complete set of 25 wrenches, sizes  $\frac{1}{4}$ " through  $1\frac{1}{4}$ ", mounted on tempered masonite perfbord. Set includes 5 long pattern box wrenches: B-1214 through B-2628; 14 combination wrenches; C-12 through C-40; and 6 open end wrenches: O-810 through O-2428. Hangers, perfbord and mounting screws packaged with wrenches in one carton. Perfbord dimensions: 2' x 2'.

Std. Pkg. 1 Shipping Weight 21 lbs.



**SET 560 (6 pcs. in tool bag)  
OPEN END WRENCHES**


No.	Size	No.	Size
O-810	$\frac{1}{4}$ " x $\frac{5}{16}$ "	O-1922	$\frac{19}{32}$ " x $\frac{11}{16}$ "
O-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	O-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "
O-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	O-2428	$\frac{3}{4}$ " x $\frac{7}{8}$ "

Std. Pkg. 6 Shipping Weight 11.6 lbs.

**SET 580 (8 pcs. in tool bag) — NOT SHOWN  
OPEN END WRENCHES**

No.	Size	No.	Size
O-810	$\frac{1}{4}$ " x $\frac{5}{16}$ "	O-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "
O-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	O-2526	$\frac{25}{32}$ " x $\frac{13}{16}$ "
O-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	O-2428	$\frac{3}{4}$ " x $\frac{7}{8}$ "
O-1922	$\frac{19}{32}$ " x $\frac{11}{16}$ "	O-3032	$\frac{15}{16}$ " x 1"

Std. Pkg. 3 Shipping Weight 11 lbs.



**SET 14-T (4 pcs. in tool bag) CHECK NUT SET**

No.	Size	No.	Size
T-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	T-2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "
T-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	T-2428	$\frac{3}{4}$ " x $\frac{7}{8}$ "

Std. Pkg. 6 Shipping Weight 7 lbs.


**SET 22-T (4 pcs. in tool bag) — NOT SHOWN  
TAPPET WRENCH SET**

No.	Size	No.	Size
T-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	T-2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "
T-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	T-2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "

Std. Pkg. 6 Shipping Weight 7 lbs.




**C-SERIES COMBINATION WRENCHES,  
12 Pt. BOX**



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
*C-8	1/4"	3 5/8"	6	.3 lb.
*C-10	5/16"	4 1/8"	6	.4 lb.
C-12	3/8"	4 1/2"	6	.5 lb.
C-14	7/16"	5 1/8"	6	.7 lb.
C-16	1/2"	5 3/8"	6	1.0 lb.
C-18	9/16"	6 1/8"	6	1.4 lbs.
C-20	5/8"	7 1/2"	6	1.9 lbs.
C-22	11/16"	8 3/8"	6	2.3 lbs.
C-24	3/4"	9 1/4"	6	2.9 lbs.
C-26	13/16"	10 3/8"	6	3.8 lbs.
C-28	7/8"	11 1/8"	6	4.5 lbs.
C-30	15/16"	12 1/8"	6	6.5 lbs.
C-32	1"	13 3/8"	6	7.0 lbs.
C-34	1 1/16"	14 3/4"	3	5.2 lbs.
C-36	1 1/8"	15 3/4"	3	6.4 lbs.
C-40	1 1/4"	17"	3	7.0 lbs.


\* 6 point

**O-SERIES OPEN END WRENCHES**



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
O-810	1/4" x 5/16"	4 1/2"	6	.5 lb.
O-1214	3/8" x 7/16"	5"	6	.7 lb.
O-1416	7/16" x 1/2"	5 3/8"	6	.9 lb.
O-1618	1/2" x 9/16"	6"	6	1.2 lbs.
O-1820	9/16" x 5/8"	6 1/4"	6	1.7 lbs.
O-1922	19/32" x 11/16"	6 3/4"	6	2.0 lbs.
O-2024	5/8" x 3/4"	8"	6	2.8 lbs.
O-2526	25/32" x 13/16"	9"	6	3.5 lbs.
O-2428	3/4" x 7/8"	9 3/4"	6	4.3 lbs.
O-3032	15/16" x 1"	10 3/4"	6	6.5 lbs.

**T-SERIES TAPPET WRENCHES**



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
T-1214	3/8" x 7/16"	9 3/8"	6	1.0 lb.
T-1618	1/2" x 9/16"	9 3/8"	6	1.5 lbs.
T-2022	5/8" x 11/16"	9 7/8"	6	2.0 lbs.
T-2428	3/4" x 7/8"	9 7/8"	6	2.5 lbs.

**forged  
alloy  
wrenches**



**M-SERIES 30° SHORT PATTERN  
BOX WRENCHES, 12 Pt.**




Part Number	Size	Length	Std. Pkg.	Pkg. Weight
M-1214	3/8" x 7/16"	4 3/4"	6	.7 lb.
M-1618	1/2" x 9/16"	5 5/8"	6	1.0 lb.
M-2022	5/8" x 11/16"	6 3/8"	6	1.4 lbs.

**H-SERIES 30° LONG PATTERN  
BOX WRENCHES, 6 Pt.**



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
H-1214	3/8" x 7/16"	7 3/8"	6	1.0 lb.
H-1618	1/2" x 9/16"	8 3/4"	6	1.6 lbs.
H-2024	5/8" x 3/4"	10 5/8"	6	3.0 lbs.

**B-SERIES 30° LONG PATTERN  
BOX WRENCHES, 12 Pt.**



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
B-1214	3/8" x 7/16"	7 3/8"	6	1.0 lb.
B-1416	7/16" x 1/2"	8"	6	1.5 lbs.
B-1618	1/2" x 9/16"	8 3/4"	6	1.6 lbs.
B-1820	9/16" x 5/8"	9 7/8"	6	2.3 lbs.
B-2024	5/8" x 3/4"	10 5/8"	6	3.0 lbs.
B-2224	11/16" x 3/4"	11 3/8"	6	3.3 lbs.
B-2628	13/16" x 7/8"	13"	6	4.5 lbs.
B-3032	15/16" x 1"	15"	6	6.3 lbs.



# screwdrivers & sets



## ROUND "KEYSTONE" BLADE SCREWDRIVERS

No.	Blade Size	Std. Pkg.	Pkg. Wt.
70044	1/8" x 3 1/2"	6	.5 lb.
70084	1/4" x 4"	6	1.3 lbs.
70086	1/4" x 6"	6	1.9 lbs.
70106	5/16" x 6"	6	2.0 lbs.
70128	3/8" x 8"	6	3.5 lbs.



## SQUARE BLADE SCREWDRIVERS

No.	Blade Size	Std. Pkg.	Pkg. Wt.
72081 Stubby	1/4" x 1 1/4"	6	.8 lb.
72084	1/4" x 4"	6	1.5 lbs.
72106	5/16" x 6"	6	2.9 lbs.
72128	3/8" x 8"	6	4.0 lbs.
72130	3/8" x 10"	6	4.2 lbs.



## ROUND "CABINET" BLADE SCREWDRIVERS


No.	Blade Size	Std. Pkg.	Pkg. Wt.
71064	3/16" x 4"	6	1.2 lb.
71066	3/16" x 6"	6	1.5 lb.



## PHILLIPS HEAD SCREWDRIVERS

No.	Blade Size	Std. Pkg.	Pkg. Wt.
73001	#1- 3/16" x 3"	6	1.0 lb.
73002	#2- 1/4" x 4"	6	1.7 lb.
73003	#3- 5/16" x 6"	6	2.2 lbs.
73022 Stubby	#2- 1/4" x 1 1/4"	6	.9 lb.

These S-K Wayne screwdrivers are designed to meet the most exacting professional requirements. Handles, in distinctive clear-view plastic, are sized and shaped for maximum grip comfort. Blades are of tempered chrome vanadium steel, with precision hardened bits for fast, easy driving.




## No. 70300: 3-PC. GENERAL SCREWDRIVER SET

General 3-pc. set suitable for all-around requirements. Contains No. 70044 round blade 1/8" x 3 1/2", No. 73002 Phillips #2- 1/4" x 4", No. 70084 round blade 1/4" x 4". In clear vinyl tool bag.

Std. Pkg. 6

Pkg. Wt. 4.0 lbs.




## No. 70600 6-PC PROFESSIONAL SET

Top quality 6-pc. set selected to meet all the requirements of professional tradesmen. Contains No. 73002 #2- 1/4" x 4" Phillips, No. 72081 stubby square blade 1/4" x 1 1/4", No. 72106 square blade 5/16" x 6", No. 70044 round blade 1/8" x 3 1/2", No. 70086 round blade, 1/4" x 6", No. 71066 round cabinet blade 3/16" x 6". In clear vinyl tool bag.

Std. Pkg. 3

Pkg. Wt. 4.5 lbs.



## No. 73400 4-PC. PHILLIPS SET

Complete 4-pc. Phillips-head set contains No. 73001 #1- 3/16" x 3" No. 73002 #2- 1/4" x 4", No. 73003 #3- 5/16" x 6", No. 73022 #2- 1/4" x 1 1/4" stubby. In clear vinyl tool bag.

Std. Pkg. 6

Pkg. Wt. 5.9 lbs.



# adjustable wrenches and pliers

**S·K**

**WAYNE**



## NICKEL CHROME PLATED ADJUSTABLE WRENCHES

Forged from alloy steel, polished heads.


No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
8004	4-AW	4"	1	.2 lb.
8006	6-AW	6"	1	.4 lb.
8008	8-AW	8"	1	.6 lb.
8010	10-AW	10"	1	1.0 lb.
8012	12-AW	12"	1	1.6 lbs.
8016	16-AW	16"	1	3.8 lbs.



## BLACK OXIDE FINISH ADJUSTABLE WRENCHES

Forged from alloy steel.

No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
8104	4-AWB	4"	6	.6 lb.
8106	6-AWB	6"	6	1.6 lbs.
8108	8-AWB	8"	6	3.2 lbs.
8110	10-AWB	10"	6	5.3 lbs.
8112	12-AWB	12"	3	5.1 lbs.
8116	16-AWB	16"	1	3.8 lbs.



## REPLACEMENT PARTS FOR ADJUSTABLE WRENCHES

Part	Adjustable Wrench Length					
	4"	6"	8"	10"	12"	16"
Jaw (Chrome)	8004-2	8006-2	8008-2	8010-2	8012-2	8016-2
Jaw (Black)	8104-2	8106-2	8108-2	8110-2	8112-2	8116-2
Knurl	8004-3	8006-3	8008-3	8010-3	8012-3	8016-3
Pin and Spring	8004-4	8006-4	8008-4	8010-4	8012-4	8016-4




## TONGUE 'N GROOVE PLIER —

Cushion grip handles — polished chrome faces

Jaws of 7516 adjust to 11 positions with maximum opening of 4 1/4". Both pliers are highly polished nickel-chrome. Handles coated with blue vinyl plastic.

No.	Old No. Kraeuter	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7507	CG107	—	6 1/2"	3	1.2 lbs.
7510	CG710	110	10"	3	2.5 lbs.
7516	—	116	16"	1	2.8 lbs.



## COMBINATION PLIER

A top quality plier, nickel chrome plated, with highly polished faces.


No.	Old No. Kraeuter	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7205	—	205	5"	3	1.0 lb.
7206	156-6	206	6"	3	1.4 lbs.
7208	156-8	208	8"	3	2.1 lbs.
7210	156-10	210	10"	3	2.5 lbs.



## THIN NOSE COMBINATION PLIER

No. 265 is nickel chrome plated with highly polished faces.

No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7265	265	6"	3	1.2 lbs.



## HOSE CLAMP PLIER

Chrome plated, polished faces. Two-position adjustment accommodates all size clamps.

No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7408	208-H	8"	3	2.0 lbs.



# solid joint pliers

**S·K**

**WAYNE**

Top quality in every detail, all S-K Wayne pliers on these two pages are hammer forged from fine grain tool steel, individually fitted, tempered, adjusted and tested. Cutting edges are induction hardened. Heads are highly polished. With vinyl Cushion Grip handles for extra comfort and control.


## S-K Wayne small precision pliers

Expressly designed for accurate and exacting work in such fields as watchmaking, hobbycrafts, model building, and all phases of electronics. Precision crafted in every detail, with polished heads and vinyl Cushion Grip handles.



Matched set includes all pliers shown individually, in zippered case of washable blue vinyl. Polished heads and Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
90	CG 90	5 3/4" x 9 1/4"	1	1 lb.



### DIAGONAL CUTTING PLIERS

Designed for close cutting of small soft wires. With Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
181	CG 81	4 1/2"	1	.25 lb.



### END CUTTING NIPPER

Carefully edged to give a clean close cut, with Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
182	CG 82	4 1/2"	1	.25 lb.



### CHAIN NOSE PLIERS (no cutters)

Slender, smooth jaws. Inside length, 1 1/2", tapering to 1/2" at points. With Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
183	CG 83	4 1/2"	1	.25 lb.



### FLAT NOSE PLIERS (no cutters)

Flat, smooth jaws. Inside length 1 3/2"; width at points 5/32". With Cushion Grip handles.

No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
184	CG 84	4 1/2"	1	.25 lb.




### ROUND NOSE/ROUND JAW PLIERS (no cutters)

Round, smooth jaws. Inside length 3/4", tapering to 1/2" at points. With Cushion Grip handles.

No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
185	CG 85	4 1/2"	1	.25 lb.






### DIAGONAL "OBLIQUE" CUTTING PLIERS

A properly balanced tool, specially designed with narrow head and keen edges for close cutting. With Cushion Grip handles.


No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
15014	CG 4501-4	—	4½"	1	.25 lb.
15015	CG 4501-5	5D	5"	1	.25 lb.
15016	CG 4501-6	6D	6"	1	.37 lb.



### HEAVY DUTY DIAGONAL CUTTING PLIERS

Cutter is close to the joint, supplying added leverage for heavy wire work and close cutting. With Cushion Grip handles.


No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
16107	CG 4610	7D	7"	1	.50 lb.



### ELECTRICIANS' SIDE CUTTING PLIERS

General electricians' tool for installation of domestic and industrial wiring, plant maintenance and repair work. With Cushion Grip handle.


No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
18307	CG 1830-7	7SC	7"	1	.75 lb.
18308	CG 1830-8	8SC	8"	1	.80 lb.



### END CUTTING NIPPERS

For close cutting where powerful leverage is required. Flush rivet and machined joint assure smooth action. Jaw width: 6" size—1"; 7" size—1½"; 8" size—1¾". With Cushion Grip handles.


No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
18506	CG 3850-6	—	6"	1	.60 lb.
18507	CG 3850-7	7NP	7"	1	.62 lb.
18508	CG 3850-8	—	8"	1	1 lb.



### BATTERY PLIERS

Specially designed thin jaws are set at a 30° angle allowing easy access to terminal nuts. Fully polished faces, with Cushion Grip handles.


No.	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
19488	8BP	8"	1	.50 lb.



### DIAGONAL CUTTING PLIERS (full fashioned handles)

A well balanced tool with handles specially curved to give extra hand comfort in continuous cutting. With Cushion Grip handles.


No.	Old No. Kraeuter	Size	Std. Pkg.	Pkg. Wt.
15027	CG 4502	7"	1	.50 lb.



### EXTRA LONG CHAIN NOSE CUTTING PLIERS

Extra long milled jaws: Inside length 2¾", tapering to ⅛" at points. With Cushion Grip handles.


No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
17817	CG 1781	7CN	7"	1	.40 lb.



### LONG CHAIN NOSE CUTTING PLIERS

Long milled jaws: inside length 1⅓", tapering to ⅛" needle nose at points. With Cushion Grip handles.


No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
16616	CG 1661	6CN	6"	1	.35 lb.



### SHORT CHAIN NOSE CUTTING PLIERS

Short milled jaws: inside length 1⅜", tapering to ⅛" at points. With Cushion Grip handles.

No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
16415	CG 1641	5CN	5"	1	.25 lb.



### CURVED NEEDLE NOSE OR SNIPE NOSE PLIERS

Slender milled jaws, tapering to ⅛" at points and curved to reach areas inaccessible to other pliers.

No.	Old No. Kraeuter	Old No. S-K Wayne	Size	Std. Pkg.	Pkg. Wt.
16315	CG 1631	6 BN	5½"	1	.40 lb.




# S-K Wayne Industrial Pliers

**S-K**

**WAYNE**


Designed for use in manufacturing, construction, oil fields, railroads . . . as well as the radio and electronic fields. Each tool is hammer forged from fine grain tool steel, individually fitted, tempered, adjusted and tested. Highly polished heads, induction hardened cutting edges. With vinyl Cushion Grip handles for maximum comfort and control.



## SHORT CHAIN NEEDLE NOSE PLIERS (no cutter)

Short milled jaws have 1-13/32" inside length, tapering to 1/16" at points. With Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
16435	CG 1643	5"	1	.25 lb.



## SHORT FLAT NOSE PLIERS (no cutter)

A precision tool for light, fine bench work. Squared nose, milled jaws with inside length as follows: 5" size—1-1/32"; 6" size—1-7/16". With Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
16015	CG 1601	5"	1	.25 lb.
16016	CG 1601	6"	1	.50 lb.



## LONG CHAIN NEEDLE NOSE PLIERS (no cutter)

Long milled jaws have 1-13/16" inside length, tapering to 1/16" needle nose at points. Ideal for getting into hard-to-reach spots. With Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
16716	CG 1671	6"	1	.50 lb.



## LONG FLAT NOSE PLIERS (no cutter)

Long milled jaws, flat and sturdy, have 2" inside length. Squared nose. With Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
17416	CG 1741	6"	1	.50 lb.



## EXTRA LONG CHAIN NOSE PLIERS (no cutter)

Extra long milled jaws have 2-3/4" inside length, tapering to 1/8" at points. Designed for maximum "reach" into hard-to-get-at locations. With Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
17717	CG 1771	7"	1	.50 lb.



## LONG FLAT NOSE CUTTING PLIERS

Similar to 17416, but with cutters. Jaws have 2" inside length. Squared nose. With Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
17516	CG 1751	6"	1	.50 lb.



#### RADIO AND IGNITION NOSE-CUTTING PLIERS

Cutters are  $\frac{1}{4}$ " long,  $\frac{1}{4}$ " from tip. Tool is designed to reach into tight spots and grip or cut small wires. Ideal in precision wiring where ordinary pliers are too bulky. Milled tip. With cross coil spring, Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
16535	C-CG 1653	5"	1	.25 lb.



#### HARD WIRE DIAGONAL CUTTING PLIERS

Edged for cutting hard wire in small sizes not larger than  $\frac{1}{16}$ " diameter. Not intended for soft wire. A sturdy, well balanced tool. With Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
12066	CG 4206	6"	1	.50 lb.



#### NEEDLE POINT DIAGONAL CUTTING PLIERS

For light electronic work. Narrow tapered nose for close cutting. Cross coil spring enhances production line efficiency and speed. With Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
16255	C-CG 4625	5"	1	.25 lb.



#### NEEDLE POINT DIAGONAL CUTTING PLIERS

The nose of these popular diagonal pliers is beveled at a  $60^\circ$  angle to give the cutters their fine  $\frac{1}{32}$ " needle points. With cross coil spring, Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
17014	C-CG 5601	$4\frac{1}{2}$ "	1	.25 lb.
17015	C-CG 5601	5"	1	.25 lb.
17016	C-CG 5601	6"	1	.50 lb.



#### DUCK BILL OR WEAVERS' PLIERS (no cutter)

Carefully tempered smooth jaws, with  $2\frac{3}{16}$ " inside length, are thin and flat to reach into tight places. With Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
16516	CG 1651	6"	1	.50 lb.



#### LONG NEEDLE OR SNIPE NOSE PLIERS (no cutter)

Slender milled jaws have  $2\frac{3}{32}$ " inside length, tapering to  $\frac{1}{16}$ " at points. Reaches areas inaccessible to other pliers and has unusual gripping capacity. With Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
16216	CG 1621	6"	1	.50 lb.



#### LINE MEN'S SIDE CUTTING PLIERS

Powerful heavy duty side-cutting pliers for linemen in high wire and plant maintenance work. With Cushion Grip handles.

No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
18016	CG 1801	6"	1	.50 lb.
18017	CG 1801	7"	1	.75 lb.
18018	CG 1801	$8\frac{1}{2}$ "	1	1 lb.



#### ELECTRICIAN'S SIDE CUTTING PLIERS

General electrician's tool for installation of domestic and industrial wiring, plant maintenance and repair. With Cushion Grip handles.

No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
18306	CG 1830	$6\frac{1}{2}$ "	1	.50 lb.




# S-K Wayne Industrial Electronic Pliers



- Full polished heads • Cushion Grip handles • Cross coil springs


Quality built in every detail, these precision S-K Wayne pliers are expressly designed for the exacting electronics industry. Each tool is drop forged from fine grain tool steel, individually fitted, tempered, adjusted and tested. Highly polished heads, with cross coil springs and Cushion Grip handles for maximum comfort and accuracy.



## EXTRA FINE NEEDLE NOSE PLIERS (no cutter)

For use on hair wires and sub-miniature assembly. Precision aligned. Will not nick or score wire, even with repeated shaping or forming. With cross coil spring. Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
100	C-CG 100	4½"	1	.25 lb.



## PRECISION TRANSVERSE CUTTING PLIERS

For soft wire only. Designed to cut wires from components where accessibility from side is impossible. Also ideal for stripping narrow TV lead-in wire. With cross coil spring. Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
103	C-CG 103	4½"	1	.25 lb.



## PRECISION NEEDLE POINT DIAGONAL CUTTING PLIERS

For soft wire only. Fine, exact cutting tip. Flush edge for close, square cut. Cutting edge specially designed to facilitate re-sharpening and maintenance of cutting tip alignment. With cross coil spring, Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
101	C-CG 101	4½"	1	.25 lb.



## SLIM-TAPERED DIAGONAL PLIERS (needle point)

Semi-flush edge for soft wire only. Semi-flush edge makes a clean cut with minimum of wire peak. Needle point nose facilitates precision cutting even in the tightest work areas. With cross coil spring and Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
104	C-CG 104	4½"	1	.25 lb.



## NEEDLE NOSE PLIERS WITH SMOOTH JAWS, RADIUS EDGES (no cutter)

Special quality features in this pliers allow repeated reshaping and forming of wire without creasing, nicking or scoring. Furnished with cross coil spring for increased production line efficiency. Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
102	C-CG 102	4½"	1	.25 lb.



## EXTRA-FINE OBLIQUE CUTTING PLIERS

Semi-flush edge for soft wire only. For fine, exact tip-cutting in even the most restricted work areas. Offset cutter ideal for module work. With cross coil spring. Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
106	C-CG 105	4½"	1	.25 lb.



### PRECISION NEEDLE POINT DIAGONAL CUTTING PLIERS

Flush edge for soft wire only. For fine, exact tip-cutting with the precision of smaller diagonals on heavier gauge wire. Flush edge makes square cut with no wire peaks. Specially designed cutting edge facilitates resharpening and maintaining of tip-cutting alignment. With cross coil spring, Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
120	C-CG 120	5"	1	.25 lb.



### PRECISION SLIM NOSE PLIERS, MILLED JAWS (no cutter)

Standard serrated tips. Slim 1-1/4" nose permits forming or squeezing wire to component with no springing tip movement. Excellent for squeezing wires around terminals. With cross coil spring, Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
121	C-CG 121	5"	1	.25 lb.



### SLIM NOSE PLIERS (no cutter)

Strong, short, slim nose makes this an excellent production line tool. Will not crease insulation, won't nick or score wire. Inside length: 1-1/4". With cross coil spring, Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
122	C-CG 122	5"	1	.25 lb.



### NEEDLE NOSE PLIERS (no cutter)

Standard needle nose pliers (without cutter) for forming or looping wire without creasing or nicking. With cross coil spring, Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
146	C-CG 146	6"	1	.25 lb.



### LONG NOSE PLIERS (no cutter)

Fine, milled jaws have 2" inside length, tapering to 1/32" at tip. Ideal for reaching areas inaccessible to other pliers. With cross coil spring, Cushion Grip handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
140	C-CG 140	6"	1	.25 lb.



### PINNED LONG NOSE PLIERS WITH FLUSH CUTTER IN TIP (milled tip)

For soft wire only. Combines advantages of diagonal and needle point pliers. Flush edges for square cut; special tips for confined work. Pinned jaws maintain alignment of cutting edges. With cross coil spring, Cushion grip handles.

No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
141	C-CG 141	6"	1	.25 lb.



### EXTRA SLIM LONG NOSE PLIERS WITH PINNED, MILLED JAWS (no cutter)

Standard serrated tips. Fine milled jaws (2" inside length, 1/16" tip) permits greater accessibility in small component assembly. Pinned jaw assures perfect nose alignment, longer pliers life. With cross coil spring, Cushion Grip handles.

No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
144	C-CG 144	6"	1	.25 lb.

### Not Shown: EXTRA SLIM LONG NOSE PLIERS WITH PINNED JAWS (no cutter)

Extra slim 2" nose permits maximum accessibility. Pinned jaws assure perfect nose alignment, longer pliers life. Will not crease insulation, won't score or nick wire.

No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
145	C-CG 145	6"	1	.25 lb.

### Not Shown: EXTRA FINE LONG NOSE PLIERS

Like No. 145 except jaws are not pinned. Milled jaws have inside length of 2-1/2", tapering to 1/16" at point.

No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
160	C-CG 160	7"	1	.50 lb.



# punches and chisels

**S·K**

**WAYNE**

Top quality throughout, each item is forged to correct proportions and proper balance. Accurately ground and heat treated to exacting specifications. Nickel-chrome plated . . . with highly polished heads.



## PRICK PUNCHES

No.	Stock	Length	Std. Pkg.	Pkg. Wt.
6010	5/16"	4 1/2"	6	.50 lb.
6012	3/8"	4 1/2"	6	.75 lb.



## PIN PUNCHES

No.	Point No.	Size	Length	Std. Pkg.	Pkg. Wt.
6103	2	3/32"	4 1/2"	6	.50 lb.
6104	3	1/8"	4 1/2"	6	.50 lb.
6105	4	5/32"	4 1/2"	6	.50 lb.
6105L	1	5/32"	8"	6	1.00 lb.
6106	5	3/16"	4 1/2"	6	.50 lb.
6106L	2	3/16"	8"	6	1.00 lb.
6108	7	1/4"	6"	6	1.00 lb.
6110	8	5/16"	6"	6	1.00 lb.



## MACHINE DRIFT PUNCHES

No.	Point	Length	Std. Pkg.	Pkg. Wt.
6204	1/8"	5"	6	.50 lb.
6206	3/16"	5"	6	1.00 lb.
6208	1/4"	6"	6	1.75 lbs.




## ALIGNING PUNCHES

No.	Point and Stock	Length	Std. Pkg.	Pkg. Wt.
6304	1/8" x 3/8"	9"	6	1.25 lbs.
6306	3/16" x 1/2"	9"	6	2.00 lbs.
6308	1/4" x 5/8"	9"	6	3.00 lbs.
6310	5/16" x 5/8"	12"	6	5.00 lbs.



## OCTAGON COLD CHISELS

No.	Cut	Length	Std. Pkg.	Pkg. Wt.
6508	1/4"	5"	6	.50 lb.
6510	5/16"	5"	6	.75 lb.
6512	3/8"	5 1/2"	6	1.00 lb.
6516	1/2"	6"	6	1.50 lbs.
6516L	1/2"	12"	6	3.00 lbs.
6520	5/8"	6 1/2"	6	2.00 lbs.
6520L	5/8"	12"	6	4.00 lbs.
6524	3/4"	7"	6	3.00 lbs.
6524L	3/4"	12"	6	6.00 lbs.
6528	7/8"	8"	6	5.75 lbs.
6532	1"	8 1/2"	6	7.50 lbs.



## DIAMOND POINT CHISEL

No.	Cut	Length	Std. Pkg.	Pkg. Wt.
6612	3/8"	6"	6	3 lbs.



## CAPE CHISEL

No.	Cut	Length	Std. Pkg.	Pkg. Wt.
6708	1/4"	5 1/2"	6	1.75 lbs.



## ROUND NOSE CAPE CHISEL

No.	Cut	Length	Std. Pkg.	Pkg. Wt.
6808	1/4"	6"	6	2 lbs.




## CENTER PUNCHES

No.	Stock	Length	Std. Pkg.	Pkg. Wt.
6910	5/16"	4 1/2"	6	.50 lb.
6912	3/8"	4 1/2"	6	.75 lb.
6912L	3/8"	6"	6	1.00 lb.
6914	7/16"	4 1/2"	6	1.25 lbs.
6916	1/2"	4 1/2"	6	1.25 lbs.
6916L	1/2"	6"	6	1.75 lbs.



#### No. 3412: 12 PC. PUNCH AND CHISEL SET

Includes pin punches 6103, 6104, 6105, 6106, center punch 6912, diamond point chisel 6612, cold chisel 6508, cape chisel 6708, cold chisel 6516, round nose cape chisel 6808, machine drift punch 6208, cold chisel 6520. Standard package 1. Wt. 2.75 lbs.



#### No. 3404: 4-PC. PIN PUNCH SET

Includes pin punches 6106, 6105, 6104, 6103. Clear plastic tool bag. Standard package 6. Wt. 2 lbs.



#### No. 3403: 3-PC. CHISEL SET

Includes cold chisels 6508, 6516, 6520. Clear plastic tool bag. Standard package 6. Wt. 4 lbs.

#### No. 3405: 5-PC. PUNCH AND CHISEL SET


Includes drift punch 6208, center punch 6912, pin punch 6105, and cold chisels 6516 and 6520. Clear plastic tool bag. Standard package 6. Wt. 6.5 lbs.



## snips

S-K


WAYNE



#### STANDARD OR STRAIGHT PATTERN SNIPS (straight cut)

Drop forged from high carbon tool steel, carefully heat treated. Highly polished blades are specially designed to stay sharp and give uniform shearing action over their entire length. Bolt and nut assembly machine finished and hardened to reduce wear . . . Cushion Grip handles.


No.	Length	Cut	Std. Pkg.	Pkg. Wt.
7607	7"	1 1/4"	1	.75 lbs.
7610	10"	2 1/2"	1	1.50 lbs.
7612	12 3/4"	3"	1	2.00 lbs.



#### DUCK BILL OR CIRCULAR PATTERN SNIPS

Popular "duck bill" type. Drop forged, with same quality features as Standard Pattern Snips described above. Designed to cut circles or intricate scrolls. Cushion Grip handles.

No.	Length	Cut	Std. Pkg.	Pkg. Wt.
7707	7"	1 1/4"	1	.50 lb.
7710	10"	2 1/2"	1	1.00 lb.
7712	12 3/4"	3"	1	1.50 lbs.



#### COMPOUND LEVERAGE AVIATION TYPE SNIPS

These superior snips are designed for the tinner, mechanic and all-around user. Compound leverage affords faster, easier cutting of circles, squares and irregular patterns.

Cutting blades are drop forged from alloy steel, ground and finished for smoother cuts with less wrist fatigue. Cushion Grip handles are correctly shaped for comfort in either hand and proportional for extra leverage with perfect balance. 3 Models—all 10" in length.

No.	Description of Cut	Std. Pkg.	Pkg. Wt.
7801	Cuts Left—1 3/8" cut	1	1 lb.
7802	Cuts Right—1 3/8" cut	1	1 lb.
7803	Cuts Straight—1 1/2" cut	1	1 lb.



# economy pliers

**S-K**


**WAYNE**



## TONGUE 'N' GROOVE PLIER

The 7500 has ground faces, black oxide finish.

No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7500	105	10"	3	2.5 lbs.



## COMBINATION PLIER — Satin Finish

Top quality plier, chrome plated and satin finished.

No.	Old No. Kraeuter	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7305		5-N	5"	12	3.5 lbs.
7306	056-6	6-N	6"	12	5.4 lbs.
7308	056-8	8-N	8"	12	8.4 lbs.
7310	056-10	10-N	10"	12	10.5 lbs.



## STRAIGHT THIN NOSE COMBINATION PLIER — Satin Finish

Useful for home and professional work. Chrome plated and satin finished.


No.	Old No. Kraeuter	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7365	40	6-TN	6"	12	5.2 lbs.



## WATER PUMP PLIER

Chrome plated with polished nose.

No.	Old No. Kraeuter	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7410	1943	10-WPC	10"	12	8.2 lbs.



## DIAGONAL CUTTING PLIERS

Used for close cutting of small wires, brads and for electrical repairs. Polished heads, with jet black handles.


No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
16005	4600	5"	1	.25 lb.
16006	4600	6"	1	.50 lb.



## DIAGONAL CUTTING PLIERS — FULL FASHIONED HANDLES

For close cutting with added leverage. A sturdy tool. Polished heads, with full fashion jet black handles.

No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
16077	—	7"	1	.50 lb.



## LONG CHAIN NOSE SIDE CUTTING PLIERS

Loops, bends and cuts wire. For electrical and light repair work. Polished heads, with jet black handles.

No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
16606	1660	6"	1	.25 lb.
17807	1780	7"	1	.50 lb.



## SIDE CUTTING PLIERS

A good serviceable tool for general repair work. Middle teeth in nose give a firm grip. Polished heads, with jet black handles.

No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
13808	1380	8"	1	.75 lb.




## HEAVY DUTY DIAGONAL CUTTING PLIERS

A sturdy tool designed for close cutting with maximum leverage. Drop forged from selected steel, with polished heads, jet black handles.

No.	Old Kraeuter No.	Size	Std. Pkg.	Pkg. Wt.
17007	4700	7"	1	.50 lb.

# carbon wrench sets




## 15° OPEN END WRENCH SETS — Satin Finish

Demand for these nickel-chrome plated open end wrenches is never ending. Drop-forged from fine grain controlled steel. Openings are carefully machined to uniform dimensions and each tool carefully tempered. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Wt.
45	5-pc. set	5/16" to 3/4"	2.8 lbs.
46	6-pc. set	5/16" to 7/8"	4.1 lbs.
66	6-pc. set	3/8" to 1"	5.6 lbs.
68	6-pc. set	1/2" to 1 1/8"	8.0 lbs.

Packed 3 to a carton.




## 15° OPEN END WRENCH SETS — No. 4000 SERIES — POLISHED, Nickel-Chrome Plated

Drop-forged from fine grain controlled steel. These popular sets are similar to the sets above except the heads are polished to a very high luster. Nickel-chrome plated for full protection. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Wt.
4500	5-pc. set	5/16" to 3/4"	2.8 lbs.
4600	6-pc. set	5/16" to 7/8"	4.1 lbs.


Packed 3 to a carton.



## 45-M — METRIC WRENCH SET POLISHED, Nickel-Chrome Plated

Part No.	Description	Size Range	Std. Pkg. Wt.
45-M	5-pc. set	8 mm. to 17 mm.	2.1 lbs.

Packed 3 to a carton.




## 10° BOX WRENCH SETS (SHORT PATTERN) — No. 2000 SERIES — Polished Heads

Wrenches are offset 10°, are nickel-chrome plated and have polished heads. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Wt.
2300	3-pc. set	3/8" to 1 1/16"	1.4 lbs.
2400	4-pc. set	3/8" to 1 3/16"	2.1 lbs.

Packed 3 to a carton.




## 45° BOX WRENCH SETS (LONG PATTERN) — No. 3100 SERIES — Polished Heads

Drop forged from fine grain controlled steel, expertly hardened and nickel-chrome plated. Sturdy "hand size" handles for positive grip. Precision broached. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Wt.
3150	5-pc. set	3/8" to 7/8"	6.0 lbs.
3160	6-pc. set	3/8" to 1"	8.7 lbs.
3170	7-pc. set	3/8" to 1 1/8"	13.0 lbs.

Packed 3 to a carton.




## COMBINATION WRENCH SETS — No. 800 SERIES — Satin Finish

Wrenches in the 800 Series are drop-forged from fine grain controlled steel. Each tool is individually tempered, nickel and chrome plated. These wrench sets give the tool user top quality at popular prices. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Wt.
845	5-pc. set	3/8" to 5/8"	2.4 lbs.
850	5-pc. set	7/16" to 1 1/16"	3.0 lbs.
860	6-pc. set	3/8" to 3/4"	3.5 lbs.
866	6-pc. set	7/16" to 3/4"	4.0 lbs.

Packed 3 to a carton.



## 45° BOX WRENCH SETS (SHORT PATTERN) — No. 5000 SERIES — Polished Heads

Drop forged from fine grain controlled steel, expertly hardened and nickel-chrome plated. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Wt.
5300	3-pc. set	3/8" to 1 1/16"	3.5 lbs.
5400	4-pc. set	3/8" to 25/32"	5.8 lbs.


Packed 6 to a carton.



# tool boxes

S-K

WAYNE



## No. 1502 HEAVY DUTY TOOL BOX

Lift-out tote tray has heavy carrying bar and full length partition for socket wrenches. Ample room under the tray for storage of other long wrenches, screwdrivers, punches, hammers, etc. Has metal carrying handle, and heavy-duty, nickel-plated draw bolt equipped for padlock.

Number	Dimensions	Std. Pkg.	Shipping Weight
1502	19" x 7" x 8 $\frac{1}{4}$ "	1	11 lbs.



## No. 1519 GENERAL PURPOSE TOOL BOX

Designed for the mechanic who must have a box that withstands heavy use. Has lift-out tray. Full length piano type hinge, and heavy duty, nickel-plated draw bolt equipped for padlock. Metal handle.

No.	Old Box No.	Dimensions	Std. Pkg.	Ship. Wt.
1519	619	19" x 7" x 7 $\frac{1}{4}$ "	1	9.0 lbs.

Quality constructed to the same exacting standards as the famous tools they hold. Sturdy steel construction throughout, with heavy-duty, nickel plated hardware.



## No. 1500 GENERAL MECHANIC'S BOX

Sturdy tool box in popular hip-roof style. Separate lift-out tote tray with carrying bar and full length partition. Ample room below tray for other tools. Top quality hardware includes round, metal carrying handle and nickel-plated draw bolt.

Number	Dimensions	Std. Pkg.	Shipping Weight
1500	17 $\frac{5}{8}$ " x 6" x 6"	1	6 lbs.



## No. 1520 ALL-PURPOSE TOOL BOX

The uses for this versatile box are unlimited. A very popular box among mechanics, electricians, plumbers and home handy-men. Sturdy metal handle designed to fit the hand. Convenient lift-out tote tray with strong tubular handle, and partition for tools and small parts. Spotwelded seams, piano type hinge, and heavy duty, nickel-plated draw bolt equipped for padlock.

No.	Old Box No.	Dimensions	Std. Pkg.	Ship. Wt.
1520	620	20" x 8 $\frac{1}{2}$ " x 9 $\frac{1}{2}$ "	1	13 lbs.



#### No. 1544 HEAVY DUTY MACHINIST CHEST

A chest that is in demand wherever offered. Steel construction throughout. Drawers and inside of top compartment are lined with green felt. Drawers cannot fall out. Equipped with nickel-plated hardware throughout. The front panel slides into a recess at bottom of the drawers when chest is open. When chest is closed, this panel fits against drawers and is held by nickel-plated lock, locking drawers securely.

No.	Old Box No.	Dimensions	Std. Pkg.	Ship. Wt.
1544	6614	20" x 8 $\frac{3}{4}$ " x 13"	1	27 lbs.



#### No. 1541 HEAVY DUTY TOOL CHEST

An ideal chest for the professional mechanic. Top compartment contains an 18" tote tray for carrying emergency tools right to the job. Free-sliding drawers with compound slides cannot pull out or tip and spill contents. The top drawer is divided into compartments for miscellaneous small tools. The bottom drawer will accommodate  $\frac{3}{4}$ " drive sockets and handles and other bulky tools. Removable front panel covers drawers and is securely locked in place by cover. Heavy-duty, nickel-plated draw bolt equipped for padlock. There is a sturdy handle on each end for carrying.


No.	Old Box No.	Dimensions	Std. Pkg.	Ship. Wt.
1541	6611	22" x 10" x 10"	1	30 lbs.

# pipe wrenches

# automotive tools

## S-K

## WAYNE



#### PIPE WRENCHES

Stillson Pattern pipe wrench forged from alloy steel.

No.	Old No. S-K Wayne	Length	Std. Pkg.	Std. Pkg. Wt.
7006	6-SP	6"	6	2.2 lbs.
7008	8-SP	8"	6	4.0 lbs.
7010	10-SP	10"	6	8.0 lbs.
7014	14-SP	14"	6	15.0 lbs.
7018	18-SP	18"	6	25.4 lbs.
7024	24-SP	24"	6	45.0 lbs.



#### FORGED-TYPE RIM WRENCHES — Chrome Plated

Forged, heat treated — professional type — guaranteed unbreakable in service. Chrome-plated finish, polished sockets.

Part No.	Old No. S-K Wayne	Length	Socket Size	Std. Pkg.	Std. Pkg. Wt.
9710	710	16 $\frac{1}{2}$ "	$\frac{3}{4}$ " x $\frac{3}{4}$ " x $\frac{13}{16}$ " x $\frac{7}{8}$ "	25	72 lbs.
9720	720	22"	$\frac{3}{4}$ " x $\frac{13}{16}$ " x $\frac{7}{8}$ " x $\frac{15}{16}$ "	10	45 lbs.

#### STANDARD RIM WRENCHES

Famous for dependability in garages and service shops. Upset forged from fine grain steel. Bright finish.

Part No.	Length	Socket Size	Std. Pkg.	Std. Pkg. Wt.
9000*	14"	$\frac{11}{16}$ " x $\frac{3}{4}$ " x $\frac{13}{16}$ " x 19 mm.	25	50 lbs.
9400	16 $\frac{1}{2}$ "	$\frac{3}{4}$ " x $\frac{3}{4}$ " x $\frac{13}{16}$ " x $\frac{7}{8}$ "	25	70 lbs.
9500	20"	$\frac{3}{4}$ " x $\frac{3}{4}$ " x $\frac{13}{16}$ " x $\frac{7}{8}$ "	25	83 lbs.
9600*	16"	$\frac{11}{16}$ " x $\frac{3}{4}$ " x $\frac{13}{16}$ " x 19 mm.	25	55 lbs.

\*Note metric socket 19 mm.




# SpaSaver® displays

for automotive  
jobbers



## No. 26 SPASAVER DISPLAY

A compact arrangement of adjustable wrenches (polished) slip joint pliers (polished), Tongue-N-Groove pliers and solid joint pliers (all with cushion grip). One-to-two each of 26 popular items. Total inventory: 48 tools. Companion to Nos. 23, 27, 37 and 85 displays.



Part Qn. No.	Description
2 8004	4" Pol. Adj. Wr.
2 8006	6" Pol. Adj. Wr.
2 8008	8" Pol. Adj. Wr.
2 8010	10" Pol. Adj. Wr.
2 8012	12" Pol. Adj. Wr.
1 8016	16" Pol. Adj. Wr.
2 7507	7" Tongue-N-Groove*
2 7510	10" Tongue-N-Groove*
1 7516	16" Tongue-N-Groove*
2 7206	6" Pol. Comb. Plier
2 7208	8" Pol. Comb. Plier
2 7265	Pol. T.N. Comb. Plier
2 7408	8" Pol. Hose Clamp Plier
2 19488	8" Battery Plier*

Part Qn. No.	Description
2 181	4½" Diagonal Cutter*
2 15016	6" Diagonal Cutter*
2 15027	7" Diagonal Cutter*
2 182	4½" End Cutting Nipper*
1 18507	7" End Cutting Nipper*
2 183	4½" Chain Nose Plier*
2 16415	5" Chain Nose Plier*
2 16616	6" Chain Nose Plier*
2 17817	7" Chain Nose Plier*
2 16107	7" Heavy Duty Diagonal Cutter*
1 18307	7" Electrician's Plier*
2 16315	5" Curved Needle Nose*

Dimensions 24" x 32"


Shipping Wt. 42 lbs. Each

\* Denotes items with Cushion Grip handles.

## No. 27 SPASAVER DISPLAY


Eye catching arrangements of adjustable wrenches (black oxide finish), slip joint pliers (satin finish) and solid joint pliers (with black handles), specially selected for automotive merchandising. One-to-two each of 18 items. Total inventory: 35 tools. Companion to Nos. 23, 26, 37 and 85 displays.

Part Qn. No.	Description
2 8104	4" Blk. Adj. Wr.
2 8106	6" Blk. Adj. Wr.
2 8108	8" Blk. Adj. Wr.
2 8110	10" Blk. Adj. Wr.
2 8112	12" Blk. Adj. Wr.
1 8116	16" Blk. Adj. Wr.
2 7306	6" Satin Comb. Plier
2 7308	8" Satin Comb. Plier
2 7310	10" Satin Comb. Plier
2 7365	6" Satin T.N. Comb. Plier
2 7410	10" Water Pump Plier
2 7500	10" Blk. Tongue-N-Groove
2 16006	6" Blk. Diagonal Cutter
2 16077	7" Blk. Diagonal Cutter
2 17007	7" Blk. Heavy Duty Cutter
2 13808	8" Blk. Side Cutter
2 16606	6" Blk. Chain Nose Plier
2 17807	7" Blk. Chain Nose Plier



Shipping Wt. 35 lbs. Each

Dimensions 19" x 32" high



## No. 7 SPASAVER DISPLAY

Exciting new floor display telescopes down to counter-use size. Double-deck array of box, open-end and combination wrench sets. Requires only 2 sq. ft. of floor space. Companion to No. 9.

Qn.	Set No.	Description
2	3	3 pc. Short Pat. (¾" to 1½")
2	350	5 pc. Long Pat. (¾" to ¾")
2	510	10 pc. Open End (¼" to 1")
2	560	6 pc. Open End (¼" to ¾")
2	1706-B	6 pc. Comb. (¾" to 1½")
2	1711-R	11 pc. Comb. (¾" to 1")
2	1714	14 pc. Comb. (¾" to 1¼")

Height 58" (as floor model)  
43" (as counter model)

Ship. Wt. 82 lbs.

## No. 9 SPASAVER DISPLAY

Smart grained backing, and chrome-plated tubular steel legs, provides a spectacular showcase for nine popular S-K Wayne socket sets. Your customers can see at a glance the exact socket set that meets his needs best. Companion to new No. 7 display.

Set No.	Description
4915	¼" Drive — (15 Pcs.)
4921	¼" Drive — (21 Pcs.)
4511	¾" Drive — (11 Pcs.)
4408	¾" Drive — (8 Pcs.)
4520	¾" Drive — (20 Pcs.)
4527	¾" Drive — (27 Pcs.)
4116	½" Drive — (16 Pcs.)
4118	½" Drive — (18 Pcs.)
4121	½" Drive — (21 Pcs.)

Dimensions 18" x 52"  
Shipping Weight 97 lbs.




## No. 37 SPASAVER DISPLAY

Box, open end and combination wrenches conveniently arranged to invite impulse buying. Total inventory: 71 tools. Companion to Nos. 23, 26, 27 and 85 displays.

Box Wrenches								
2	B-1214	3/8" x 7/16"	2	B-2024	5/8" x 3/4"	2	M-1214	3/8" x 7/16"
2	B-1416	7/16" x 1/2"	2	B-2224	11/16" x 3/4"	2	M-1618	1/2" x 9/16"
2	B-1618	1/2" x 9/16"	2	B-2628	13/16" x 7/8"	2	M-2022	5/8" x 11/16"
2	B-1820	9/16" x 5/8"	2	B-3032	15/16" x 1"			
Combination Wrenches								
2	C-8	1/4"	2	C-20	5/8"	2	C-32	1"
2	C-10	5/16"	2	C-22	11/16"	1	C-34	1 1/16"
2	C-12	3/8"	2	C-24	3/4"	1	C-36	1 1/8"
2	C-14	7/16"	2	C-26	13/16"	1	C-40	1 1/4"
2	C-16	1/2"	2	C-28	7/8"			
2	C-18	9/16"	2	C-30	15/16"			
Open End Wrenches								
2	O-810	1/4" x 5/16"	2	O-1802	9/16" x 5/8"	2	O-2428	3/4" x 7/8"
2	O-1214	3/8" x 7/16"	2	O-1922	19/32" x 11/16"	2	O-3032	15/16" x 1"
2	O-1416	7/16" x 1/2"	2	O-2024	5/8" x 3/4"			
2	O-1618	1/2" x 9/16"	2	O-2526	25/32" x 13/16"			

Dimensions — 24" x 32"

Shipping Weight 52 lbs.



## No. 85 SPASAVER DISPLAY

A real producer of volume sales on 1/4", 3/8" and 1/2" drive sockets and handles. Includes balanced stock of 85 different tools, selected to provide maximum turnover and dollar value. Total inventory: 91 tools. Smartly arranged on attractive background. Companion to Nos. 23, 26, 27 and 37 displays.

1/4" Drive		
1—384 Adapter	1—40910 Skt. 5/16"	1—40954 Spin Hdle.
1—40906 Skt. 3/16"	1—40911 Skt. 11/32"	1—40961 Ext. 2"
1—40907 Skt. 7/32"	1—40912 Skt. 3/8"	1—40962 Ext. 6"
1—40908 Skt. 1/4"	1—40914 Skt. 7/16"	1—40970 Ratchet
1—40909 Skt. 9/32"	1—40916 Skt. 1/2"	1—40990 Univ. Joint
3/8" Drive		
1—451 Adapter	1—40614 Fl. Skt. 7/16"	1—45122 Skt. 11/16"
1—40412 Dp. Skt. 3/8"	1—40616 Fl. Skt. 1/2"	1—45124 Skt. 3/4"
1—40414 Dp. Skt. 7/16"	1—40618 Fl. Skt. 9/16"	1—45153 Flex
1—40416 Dp. Skt. 1/2"	1—40620 Fl. Skt. 5/8"	1—45159 Ext. 1 1/2"
1—40418 Dp. Skt. 9/16"	1—40622 Fl. Skt. 11/16"	1—45160 Ext. 3"
1—40420 Dp. Skt. 5/8"	1—40624 Fl. Skt. 3/4"	1—45161 Ext. 6"
1—40422 Dp. Skt. 11/16"	1—45112 Skt. 3/8"	1—45162 Ext. 12"
1—40424 Dp. Skt. 3/4"	1—45114 Skt. 7/16"	1—45170 Ratchet
1—40426 Dp. Skt. 13/16"	1—45116 Skt. 1/2"	1—45181 Speeder
1—4426 S.P. Skt. 13/16"	1—45118 Skt. 9/16"	1—45190 Univ. Joint
1—40612 Fl. Skt. 3/8"	1—45120 Skt. 5/8"	1—3870 Roto-Ratchet
1/2" Drive		
1—401 Adapter	1—40132 Skt. 1"	2—40820 Dp. Skt. 7/8"
1—40114 Skt. 7/16"	1—40134 Skt. 1 1/16"	2—40822 Dp. Skt. 11/16"
1—40116 Skt. 1/2"	1—40136 Skt. 1 1/8"	2—40824 Dp. Skt. 3/4"
1—4V118 Fd. Skt. 9/16"	1—40138 Skt. 1 3/16"	2—40826 Dp. Skt. 13/16"
1—40118 Skt. 9/16"	1—40140 Skt. 1 1/4"	2—40828 Dp. Skt. 7/8"
1—40119 Skt. 19/32"	1—40160 Ext. 2"	1—40830 Dp. Skt. 15/16"
1—40120 Skt. 5/8"	1—40161 Ext. 5"	1—40832 Dp. Skt. 1"
1—40122 Skt. 11/16"	1—40162 Ext. 10"	1—40834 Dp. Skt. 1 1/16"
1—40124 Skt. 3/4"	1—40181 Speeder	1—4826 S. P. Skt. 13/16"
1—40125 Skt. 25/32"	1—40190 Univ. Joint	1—41653 Flex
1—40126 Skt. 13/16"	1—40816 Dp. Skt. 1/2"	1—42470 Ratchet
1—40128 Skt. 7/8"	2—40818 Dp. Skt. 9/16"	1—40170 Ratchet
1—40130 Skt. 15/16"		

Dimensions 24" x 32"

Shipping Weight 51 lbs.

## No. 23 SPASAVER DISPLAY

Newly designed Spasaver display shows these man-sized tools off brilliantly. Presents 23 of the most popular 3/4" drive items, including 1 each of 18 sockets. 5 handles. Total inventory: 23 tools. Companion to Nos. 26, 27, 37 and 85 displays.


3/4" Drive					
1—47128 Skt. 7/8"	1—47144 Skt. 1 3/8"	1—47160 Skt. 1 1/8"	1—47164 Skt. 2"	1—47153 Slide T	1—47155 Flex
1—47130 Skt. 1 1/16"	1—47146 Skt. 1 1/16"	1—47164 Skt. 2"	1—47153 Slide T	1—47155 Flex	1—47161 Extension
1—47132 Skt. 1"	1—47148 Skt. 1 1/2"	1—47153 Slide T	1—47155 Flex	1—47161 Extension	1—47162 Extension
1—47134 Skt. 1 1/16"	1—47150 Skt. 1 9/16"	1—47155 Flex	1—47161 Extension	1—47162 Extension	1—47170 Ratchet
1—47136 Skt. 1 1/8"	1—47152 Skt. 1 1/8"	1—47161 Extension	1—47162 Extension	1—47170 Ratchet	
1—47138 Skt. 1 3/16"	1—47154 Skt. 1 11/16"	1—47162 Extension	1—47170 Ratchet		
1—47140 Skt. 1 1/4"	1—47156 Skt. 1 3/4"	1—47170 Ratchet			
1—47142 Skt. 1 1/16"	1—47158 Skt. 1 13/16"				

Dimensions 14" x 32"


Shipping Weight 44 lbs.

**ALL DISPLAY EQUIPMENT SUPPLIED FREE WITH PURCHASE OF TOOL INVENTORY**

**No. 20 KIT (for existing No. 35-B Spasaver Displays)**  
Complete kit for adding 1/4" and 5/16" Combination Wrenches to Spasaver Display No. 35-B. Includes 6 each of two new combination wrenches as follows: No. C-8 (1/4" openings, 3 3/8" long) and No. C-10 (5/16" openings, 4 7/8" long). Std. Pkg.: 1. Shpg. Wt.: 0.8 lb.








### No. 28 SPĀSAVER DISPLAY

New best-buy assortment of popular adjustable wrenches (polished), slip joint pliers (polished), Tongue-N-Groove pliers and solid joint pliers (cushion grip handles). Compact unit merchandises 24 different items. Total inventory: 46 tools. Companion to Nos. 29, 38 and 57 displays.

Part Qn. No.	Description	Part Qn. No.	Description
2 8004	4" Pol. Adj. Wr.	2 15016	6" Diagonal Cutter*
2 8006	6" Pol. Adj. Wr.	2 181	4½" Diagonal Cutter*
2 8008	8" Pol. Adj. Wr.	2 182	4½" End Cutting Nipper*
2 8010	10" Pol. Adj. Wr.	2 18507	7" End Cutting Nipper*
2 8012	12" Pol. Adj. Wr.	2 183	4½" Chain Nose Plier*
1 8016	16" Pol. Adj. Wr.	2 16616	6" Chain Nose Plier*
2 7507	7" Tongue-N-Groove*	2 17817	7" Chain Nose Plier*
2 7510	10" Tongue-N-Groove*	2 16107	7" Heavy Duty Diagonal Cutter*
1 7516	16" Tongue-N-Groove*	2 18307	7" Electrician's Plier*
2 7205	5" Pol. Comb. Plier	2 16315	5½" Curved Needle Nose*
2 7206	6" Pol. Comb. Plier		
2 7208	8" Pol. Comb. Plier		
2 7265	Pol. T.N. Comb. Plier		
2 15015	5" Diagonal Cutter*		

Dimensions 28" x 23" Shipping Wt. 35 lbs. Each  
\* Denotes items with Cushion Grip handles.



### No. 29 SPĀSAVER DISPLAY

Another compact merchandiser for the hardware field. Displays 17 popular sizes of adjustables (black oxide), slip joint pliers (satin finish) and solid joint pliers (black handles). Total inventory: 33 tools. Companion to Nos. 28, 38 and 57 displays.

Part Qn. No.	Description	Part Qn. No.	Description
2 8104	4" Blk. Adj. Wr.	2 7500	10" Blk. Tongue-N-Groove
2 8106	6" Blk. Adj. Wr.	2 16606	6" Blk. Chain Nose
2 8108	8" Blk. Adj. Wr.	2 17807	7" Blk. Chain Nose
2 8110	10" Blk. Adj. Wr.	2 13808	8" Blk. Side Cutters
2 8112	12" Blk. Adj. Wr.	2 16006	6" Blk. Diagonal Cutters
1 8116	16" Blk. Adj. Wr.	2 16077	7" Blk. Diagonal Cutters
2 7306	6" Satin Comb. Plier	2 17007	7" Blk. Heavy Duty Diagonal
2 7308	8" Satin Comb. Plier		
2 7365	6" Satin T.N. Comb. Plier		
2 7410	10" Satin Water Pump Plier		

Dimensions: 20" x 23" Shipping Wt. 33 lbs. Each

# SpāSaver® displays

for hardware  
retailers

S-K

WAYNE




### No. 5 SPĀSAVER DISPLAY

Five fast-selling S-K Sets arranged for maximum sales "step-up." SpāSaver display mounts on perfboard, or on other surfaces, stands on counter. Everything instantly visible in this smart display, with no waste space. Companion to No. 6 Display

No.	Description
4915	¼" Drive — (15 Pcs.)
4511	⅜" Drive — (11 Pcs.)
4520	⅝" Drive — (20 Pcs.)
4116	½" Drive — (16 Pcs.)
4118	½" Drive — (18 Pcs.)

Dimensions 16" x 23"  
Shipping Weight 43 lbs.



### No. 6 SPĀSAVER DISPLAY

An exciting new merchandiser designed for impulse volume on 6 forged wrench sets. Compact unit mounts on perfboard or stands as easel unit on counters. Companion to No. 5.

Quan.	Set No.	Description
1	3	3 pc. Short Pat. (⅜" to 1½")
1	350	5 pc. Long Pat. (⅜" to ⅞")
1	560	6 pc. Open End (¼" to ⅞")
1	580	8 pc. Open End (¼" to 1")
1	1706-B	6 pc. Comb. (⅜" to 1½")
1	1711-B	11 pc. Comb. (⅜" to 1")

Dimensions 16" x 26" Ship. Wt. 23 lbs.



## No. 57 SPASAVER DISPLAY

A profit-producing, low-inventory assortment of S-K  $\frac{3}{8}$ " and  $\frac{1}{2}$ " drive tools. Includes 77 sockets and handles with compact display bracket for use on perforboard or other wall surfaces—complete with part number and price strips. Companion to Nos. 28, 29 and 38 displays.

### $\frac{3}{8}$ " Drive



1—451 Adapter	1—4426S S.P. Skt. $\frac{13}{16}$ "	1—45120 Skt. $\frac{5}{8}$ "
1—40412 Dp. Skt. $\frac{3}{8}$ "	1—40614 Fl. Skt. $\frac{7}{16}$ "	1—45122 Skt. $\frac{11}{16}$ "
1—40414 Dp. Skt. $\frac{7}{16}$ "	1—40616 Fl. Skt. $\frac{1}{2}$ "	1—45124 Skt. $\frac{3}{4}$ "
2—40416 Dp. Skt. $\frac{1}{2}$ "	1—40618 Fl. Skt. $\frac{9}{16}$ "	1—45160 Ext. 3"
2—40418 Dp. Skt. $\frac{9}{16}$ "	1—40620 Fl. Skt. $\frac{5}{8}$ "	1—45161 Ext. 6"
1—40420 Dp. Skt. $\frac{5}{8}$ "	1—45112 Skt. $\frac{3}{8}$ "	1—45162 Ext. 12"
1—40422 Dp. Skt. $\frac{11}{16}$ "	1—45114 Skt. $\frac{7}{16}$ "	2—45170 Ratchet
1—40424 Dp. Skt. $\frac{3}{4}$ "	2—45116 Skt. $\frac{1}{2}$ "	1—45181 Speeder
1—40426 Dp. Skt. $\frac{13}{16}$ "	2—45118 Skt. $\frac{9}{16}$ "	1—45190 Univ. Joint

### $\frac{1}{2}$ " Drive

1—401 Adapter	1—40132 Skt. 1"	2—40816 Dp. Skt. $\frac{1}{2}$ "
2—40114 Skt. $\frac{7}{16}$ "	1—40134 Skt. $\frac{11}{16}$ "	2—40818 Dp. Skt. $\frac{9}{16}$ "
2—40116 Skt. $\frac{1}{2}$ "	1—40136 Skt. $\frac{13}{16}$ "	2—40820 Dp. Skt. $\frac{5}{8}$ "
2—40118 Skt. $\frac{9}{16}$ "	1—40138 Skt. $\frac{15}{16}$ "	2—40822 Dp. Skt. $\frac{11}{16}$ "
2—40120 Skt. $\frac{3}{4}$ "	1—40140 Skt. 1"	2—40824 Dp. Skt. $\frac{3}{4}$ "
2—40122 Skt. $\frac{11}{16}$ "	1—40160 Ext. 2"	2—40826 Dp. Skt. $\frac{13}{16}$ "
2—40124 Skt. $\frac{3}{4}$ "	2—40161 Ext. 5"	1—40828 Dp. Skt. $\frac{7}{8}$ "
1—40126 Skt. $\frac{13}{16}$ "	1—40162 Ext. 10"	2—41653 Flex
1—40128 Skt. $\frac{7}{8}$ "	1—40181 Speeder	2—42470 Ratchet
1—40130 Skt. $\frac{15}{16}$ "	1—40190 Univ. Joint	1—4826 S.P. Skt. $\frac{13}{16}$ "

Dimensions 27" x 16"

Shipping Weight 38 lbs.



## No. 38 SPASAVER DISPLAY

Streamlined display with part number identification and pre-pricing. Total inventory: 71 tools. Companion to Nos. 28, 29 and 57 displays.

### Box Wrenches

2 B-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	2 B-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "	2 M-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "
2 B-1416	$\frac{7}{16}$ " x $\frac{1}{2}$ "	2 B-2224	$\frac{11}{16}$ " x $\frac{3}{4}$ "	2 M-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "
2 B-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	2 B-2628	$\frac{13}{16}$ " x $\frac{7}{8}$ "	2 M-2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "
2 B-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "	2 B-3032	$\frac{15}{16}$ " x 1"		

### Combination Wrenches


2 C-8	$\frac{1}{4}$ "	2 C-20	$\frac{5}{8}$ "	2 C-32	1"
2 C-10	$\frac{5}{16}$ "	2 C-22	$\frac{11}{16}$ "	1 C-34	$\frac{11}{16}$ "
2 C-12	$\frac{3}{8}$ "	2 C-24	$\frac{3}{4}$ "	1 C-36	$\frac{13}{16}$ "
2 C-14	$\frac{7}{16}$ "	2 C-26	$\frac{13}{16}$ "	1 C-40	$\frac{1}{4}$ "
2 C-16	$\frac{1}{2}$ "	2 C-28	$\frac{7}{8}$ "		
2 C-18	$\frac{9}{16}$ "	2 C-30	$\frac{15}{16}$ "		

### Open End Wrenches

2 O-810	$\frac{1}{4}$ " x $\frac{5}{16}$ "	2 O-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "	2 O-2428	$\frac{3}{4}$ " x $\frac{7}{8}$ "
2 O-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	2 O-1922	$\frac{19}{32}$ " x $\frac{11}{16}$ "	2 O-3032	$\frac{15}{16}$ " x 1"
2 O-1416	$\frac{7}{16}$ " x $\frac{1}{2}$ "	2 O-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "		
2 O-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	2 O-2526	$\frac{25}{32}$ " x $\frac{13}{16}$ "		

Dimensions — 30" x 21"

Shipping Weight 42 lbs.



## No. 21 KIT (for existing No. 35-H SPASAVER Displays)

Complete kit for adding  $\frac{1}{4}$ " and  $\frac{5}{16}$ " Combination Wrenches to Spasaver Display No. 35-H. Includes 6 each of two new combination wrenches as follows: No. C-8 ( $\frac{1}{4}$ " openings,  $3\frac{3}{8}$ " long) and No. C-10 ( $\frac{5}{16}$ " openings,  $4\frac{1}{8}$ " long). Std. Pkg.: 1. Shpg. Wt.: 0.8 lb.



# SpaSaver® displays

S·K


WAYNE

## No. 15 METRIC SOCKET & SET DISPLAY

A special use display with big profit potential. Take advantage of big foreign car repair market. Compact presentation for counter or peg board includes 2 No. 13 sets, 1 No. 14 set; one each of sockets 307, 308, 316, 317, 318, 319; two each of sockets 309, 310, 311, 312, 313, 314, 315. Dimensions: 10½" wide x 11½" high. Std. Pkg.: 1. Shpg. Wt.: 7.8 lbs.




## S-K WAYNE METRIC COMBINATION WRENCH DISPLAY — No. 17

This compact metal display merchandises the full line of new S-K Wayne metric combination wrenches and sets. Versatile unit hangs on wall or stands on counter . . . attracts maximum attention, either way. Complete with printed tool identification numbers and pricing. Inventory of 32 items includes one each of No. 1807 7-pc. wrench set (7mm. — 15mm.) and No. 1811 11-pc. wrench set (7mm. — 19mm.) and two each of 7mm. thru 22mm. wrenches, including Nos. 8307, 8308, 8309, 8310, 8311, 8312, 8314, 8315, 8316, 8317, 8318, 8319, 8321 and 8322. Dimensions: 19" wide x 24¼" high. Std. Pkg.: 1. Shpg. Wt.: 17.3 lbs.



## S-K WAYNE SNIPS DISPLAY — No. 4

Versatile Snips Display mounts on wall or stands as easel unit on counters. Features two each of nine S-K Wayne Standard, Duck Bill and Aviation Pattern Snips with Cushion Grip Handles. Total inventory of 18 tools includes Nos. 7607, 7610, 7612, 7707, 7710, 7712, 7801, 7802, 7803. Dimensions: 25" wide x 19" high. Std. Pkg.: 1. Shpg. Wt.: 24.5 lbs.



## S-K WAYNE PUNCH AND CHISEL DISPLAY — No. 2

Practical metal display rack holds the most popular S-K Wayne punches and chisels. Rack hangs on wall or stands as easel unit on counters. Total inventory of 32 tools and 6 sets includes two each of 3-pc. Chisel Set 3403, 5-pc. Punch & Chisel Set 3405, 4-pc. Pin Punch Set 3404; one Aligning Punch 6306; four pin punches, including Nos. 6106, 6105, 6104 and 6103; two center punches, including Nos. 6910 and 6914; one Prick Punch 6012; five Cold Chisels, including Nos. 6508, 6512, 6516, 6520 and 6524; one Cape Chisel 6708; one Round Nose Chisel 6808; and one Diamond Point Chisel 6612. Dimensions: 12½" wide x 15½" high. Std. Pkg.: 1. Shpg. Wt.: 15 lbs.




# the famous S-K ratchet

S-K

WAYNE

## SIMPLIFIED MAINTENANCE


To increase the life of S-K Ratchets, it is advisable to periodically remove the operating mechanism, following simple steps illustrated below, and wash out accumulated grease and grit in a cleaning solvent. No lubrication is needed to assure proper performance.




TO REMOVE MECHANISM, place ratchet in neutral position.




TO REPLACE MECHANISM, set it in neutral position.




Compress snap ring with screwdriver, thin or bent-nose plier.



Insert unit in handle, holding cap in place. Put snap ring in position.



With snap ring compressed, strike back of ratchet on solid surface.




Compress snap ring with thin or bent-nose plier and seat unit in handle.

## EFFICIENT OPERATION


S-K Ratchets are positive, close-acting — an invaluable asset in tight work areas. Pressure on the handle forces the pawl, or dog, outward against the assembly housing to assure positive action. Three teeth of the pawl are engaged at all times while ratchet is in use.

S-K Ratchets operate in an arc of from  $5.1^\circ$  to  $9^\circ$ , depending on drive size, and have very little or no back movement. (See Fig. A.)

Conventional ratchets are designed on the principle of a shearing action. Because of tendency to break or shear off, teeth on the drive gear must be large, limiting the number of teeth and positions. Shear type ratchets generally operate in from  $10^\circ$  to  $20^\circ$ , and have a  $5^\circ$  to  $10^\circ$  back movement, decreasing efficiency. (See Fig. B.)



S/K Ratchet  
Close-Acting  
Triple-tooth contact  
Figure A



Conventional Ratchet  
Wide-Acting  
Coarse Drive Gear  
Figure B

S-K

WAYNE

**S-K WAYNE TOOL COMPANY**


332 So. Michigan Avenue • Chicago Illinois 60604  
Subsidiary of Symington Wayne Corporation



## Let your hands be the judge...

S-K WAYNE tools look better, feel better, work better... because that's the way they are made. Embodying the finest materials obtainable, each S-K WAYNE tool is precision-crafted to meet the most exacting professional standards.

Whether you are a hand tool distributor, retailer or user, you can rely on the quality of S-K WAYNE tools... designed and manufactured with care to be handled with pride and confidence.



**S·K**

**WAYNE**

**S-K WAYNE TOOL COMPANY**

332 So. Michigan Avenue • Chicago Illinois 60604  
Subsidiary of Symington Wayne Corporation

Vissage Auto Parts Co., Inc.  
3402 AUGUSTA RD. - PH. 277-4911  
GREENVILLE, S. C.